



Dayaram

General Trading L.L.C



CONSUMER ELECTRONICS



COMPANY OVERVIEW

Dayaram General Trading LLC is a company that buys and sells products and provides services across the international markets. Established in 1997, the company pioneered the introduction of Chinese and Taiwanese products to the Middle Eastern and African regions, excelling in both exporting and importing. Initially, Dayaram General Trading LLC focused on Readymade Garments and Sundries, partnering with reliable suppliers to procure high-quality products for export and import. (Currently, the company has significantly expanded its portfolio and market reach, leveraging a deep understanding of international trade practices, regulations, and market dynamics).

Dayaram General Trading LLC currently deals in a wide array of products, including FMCG, Electronics, Kitchenware, Readymade Garments, Daily Use Articles, Footwear, Sanitary Ware, Furniture, Mobile Phones & IT Products, Cosmetics, Construction Materials, and Carpets & Upholstery. The company effectively bridges the gap between producers and consumers in various countries, facilitating international trade and ensuring the smooth flow of goods globally.

BUSINESS GROWTH

Dayaram General Trading LLC was established in the United Arab Emirates, a key trading hub strategically positioned to serve the GCC and African markets. It operates as the representative branch of the H. Daya Group in Hong Kong and Mainland China, under the auspices of SK. Daya International Co. Ltd. and VMD. Daya International Co. Ltd.

The H. Daya Group, renowned for overseeing production across multiple factories, is recognized as one of the largest export houses in Hong Kong and China. With offices in various locations and a dedicated team of over 200 professionals, the Group is well-positioned to manage its global operations efficiently and effectively.

PROFESSIONAL TEAM

The Dayaram General Trading team is highly skilled in meeting the evolving needs of the market and customers. In addition to their qualified and experienced office staff, they have a team of merchandisers, both in-house and third-party, to promote their product range and introduce new products to their portfolio.



CAR MP5 PLAYING WITH USB/SD SLOT

KY-1001MP5



FULL HD+
超全高清


Full HD
1080P

7 inch detachable panel one din MP5 player (digital, TFT Screen)

Standard features:

- 1.Support FAT32, EXFAT and NTFS file system.
2. Support max 32G for USB and 32G for SD Card;
3. Radio: FM/AM.
4. Video: Support1080P and file format(MKV, MOV, TS, AVI, RMVB, RM, MPG, M2TS, M4V, PMP, VOB, DAT).
- 5.Audio: Support Mp3, WMA, OGG, APE, FLAC, WAV, AAC play; Support ID3
6. Pictuer: Support JPEG, BMP, GIF, TIFF, PNG and play back music.
7. Video input for rear view (optional).
8. Steering wheel control function.
9. Work voltage: DC10V~16V
10. Bluetooth (optional)
- 11.TV (optional)
- 12.iPod, iPhone, iPad, control (optional).
- 13.GPS (optional)

Universal Size KY-6005MP5



7 inch fixed panel double din MP5 player (digital, TFT Screen)

Standard features:

- 1.Support FAT32, EXFAT and NTFS file system.
2. Support max 32G for USB and 32G for SD Card;
3. Radio: FM/AM.
4. Video: Support1080P and file format(MKV, MOV, TS, AVI, RMVB, RM, MPG, M2TS, M4V, PMP, VOB, DAT).

- 5.Audio: Support Mp3, WMA, OGG, APE, FLAC, WAV, AAC play; Support ID3
6. Pictuer: Support JPEG, BMP, GIF, TIFF, PNG and play back music.
7. Video input for rear view (optional).
8. Steering wheel control function.
9. Work voltage: DC10V~16V
10. Bluetooth (optional)
- 11.TV (optional)
- 12.iPod, iPhone, iPad, control (optional).
- 13.GPS (optional)

**CAR MP3 PLAYING WITH USB/SD SLOT****KY-9892MP3****KY-9891MP3****KY-9890MP3****KY-9888MP3****KY-9889MP3****KY-9885MP3****KY-9893MP3**

- CAR MP3 player with USB/SD slot
- With AUX-IN
- Reading MP3 WMA files
- Playing tracks at Repeat/Random/Intro mode
- AM/FM 2 Band Radio System
- 30 Preset Stations: 18FM/12AM
- LCD displayer
- Auto tuning Seek Control
- Mute function/With Remote control(optional)

**CAR MP5 PLAYING WITH USB/SD SLOT****KY-5582MP5** (Fixed Panel)

- CAR MP5 player with USB/SD slot , with 3" TFT
- Reading all the files format downloaded from the internet: MP3, WMA, JPG, JPE, JPEG, MPG, MPE, MIV, M2V, MPEG/VCD, AVI, MP4, 3GP, RM, RMVB, VOB/DVD
- AUX in put Mute fuction/With Remote control (optional)
- 30 Preset stations:18FM/12AM
- AM/FM 2 Band Radio System
- Auto Tuning Seek Control
- 1 way video input for rear view camera

KY-5585MP5 (Fixed Panel)**KY-5587MP5** (Fixed Panel)**KY-5588MP5** (Fixed Panel)**KY-5598MP5** (Fixed Panel)**KY-1158MP5** (Fixed Panel)



KY-8006DVD
Universal size,6.2"TFT



KY-8007DVD
Universal size,6.2"TFT

- 6.2 inch fixed panel double din DVD player (digital, TFT Screen)
- Standard features:**
- DVD+VCD+CD+CD-R+CD-RW+WMA+FM/AM+USB/SD+MP3+MP4(AVI),etc.
- Rear View Camera input, can support multi type-Cameras; have independent key-press function for reviewing situation when backing .
- Steering wheel control function, for more safe drive .
- 2 pairs RCA and Sub-woofer Audio output.
- AUX Video and Audio input.

- Optional features:**
- Built in GPS navigation system.
 - Built in Analogue TV.
 - Built in ISDB-T digital TV.
 - Built in DVB-T digital TV.
 - Support Bluetooth.
 - Ipod Connector.
 - Canbus.
 - RDS.



KY-8000DVD
Universal size,6.2"TFT



KY-8005DVD
Universal size,6.2"TFT



KY-8892DVD
Universal size

1. Car DVD/SD.MMC/USB Player
2. DVD/VCD/CD/CD-R/CD-RW/MP3/WMA/MP4 and Divx Disc compatible
3. USB/SD/MMC slot
4. AUX-IN
5. Output power:4 * 45W
6. Full function remote control
7. AM/FM PLL synthesised tuner
8. 30 Preset Stations:18FM/12AM
9. Fixed front panel
10. Full function remote control
11. RDS(optional)
12. Bluetooth(optional)



ROOF MOUNT TFT LCD TV MK-958

- 9 Inch Flipdown TFT LCD Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4 ETC)
- Built In USB Jack
- Built In Speaker
- High Resolution: 800 x 480 Pixels
- Wide And Swivel Screen
- Built In FM Transmitter
- Built In IR Transmitter
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



ROOF TOP TFT LCD TV WITH DVD PLAYER

MK-1210G

- 12.1" Roof Top LCD TV with DVD Player & IR/FM Transmitters
- Compatible with DVD/CD/DVD-R/DVD+R/DVD-RW/DVD+RW/JPEG/MP3/MP4/Game Disc
- TFT Active Matrix Display System
- Resolution: 1280xR.G.Bx800
- PAL/NTSC System Compatibility
- 1 A/V Input, 1 A/V Output
- Built-in TV Input
- Built-in USB Connection
- Built-in SD Card Slot
- Built-in IR/FM Transmitter
- With Swivel: Left90°/Right90° Rotation
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Unit Dimensions: 16.02"x12.56"x2.56"



NEW VERSION WITH DVD



WIRELESS JOYSTICK



ROOF MOUNT TFT LCD TV MK-1210

- 12 Inch Flipdown TFT LCD Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4 ETC)
- Built In USB Jack
- Built In Speaker
- High Resolution
- Wide And Swivel Screen
- Built In FM Transmitter
- Built In IR Transmitter
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



ROOF MOUNT TFT LCD TV

MK-1398

- 12 Inch Flipdown TFT LCD Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- One Video/Audio Input
- Built In TV Tuner
- Built In SD/MMC Card Reader
- Built In USB Jack
- Built In Speaker
- High Sensitive IR Transmitter
- Wide Screen
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



ROOF MOUNT TFT LCD TV WITH DVD PLAYER

MK-1210G

- 12.1inch Screen
- 16:9 Wide Screen Display
- High Resolution: 800 x 600 Pixels
- Brightness: 300 Cd/sq.m
- 320° Swivel Design
- Overhead Console With Twin Dome Lights W/LED
- With Double Channel IR Transmitter
- Built-In TV Tuner
- Built-In Game Slot
- Full Function Wireless Remote
- On screen Menu System
- Front Pushbuttons Controls
- Audio / Video Inputs
- USB And SD Card Inputs
- Multi System: NTSC & PAL
- DVD/VCD/CD/CD-R/DVD±RW/MP3 Compatible
- Power Input: DC 12V
- FM Transmitter



ROOF MOUNT TFT LCD TV

MK-1398

- 13 Inch Flipdown TFT LCD Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4 Etc)
- Built In USB Jack
- High Resolution: 1280 x 800 Pixels
- Wide and Swivel Screen
- Built In FM Transmitter
- Built In IR Transmitter
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



2nd Version





ROOF TOP TFT LCD TV WITH DVD PLAYER

MK-1569G

- 15.6" Roof Top LCD TV with DVD Player & IR/FM Transmitters
- Compatible with DVD/CD/DVD-R/DVD+R/DVD-RW/DVD+RW/JPEG/MP3/MP4/Game Disc
- TFT Active Matrix Display System
- Resolution: 1366xR.G.Bx768
- PAL/NTSC System Compatibility
- 1 A/V Input, 1 A/V Output
- Built-in TV Input
- Built-in USB Connection
- Built-in SD Card Slot
- Built-in IR/FM Transmitter
- With Swivel: Left/Right45° Rotation
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Unit Dimensions: 18.2"x16"x2.6"



WIRELESS JORSTICK



ROOF MOUNT TFT LCD TV

MK-708

- 7 Inch Flipdown TFT LCD Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4 ETC)
- Built In USB Jack
- Built In Speaker
- High Resolution
- Wide And Swivel Screen
- Built In FM Transmitter
- Built In IR Transmitter
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



ROOF TOP TFT LCD TV

MK-1709

- 17" Roof Top LCD TV with USB/SD Player & IR/FM Transmitters
- TFT Active Matrix Display System
- Resolution: 1024xR.G.Bx502
- PAL/NTSC System Compatibility
- 1 A/V Input, 1 A/V Output
- Built-in TV Input
- Built-in USB Connection
- Built-in SD Card Slot
- Built-in IR/FM Transmitter
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Unit Dimensions: 20.98"x16.50"x1.57"



ROOF TOP TFT LCD TV WITH DVD PLAYER

MK-9088DVD

- 9" Roof Top LCD TV with DVD Player & IR/FM Transmitters
- Compatible with DVD/CD/DVD-R/DVD+R/DVD-RW/DVD+RW/JPEG/MP3/MP4/Game Disc
- TFT Active Matrix Display System
- Resolution: 480xR.G.Bx234
- PAL/NTSC System Compatibility
- 1 A/V Input, 1 A/V Output
- Built-in TV Input
- Built-in USB Connection
- Built-in SD Card Slot
- Built-in IR/FM Transmitter
- With Swivel: Left90°/Right220° Rotation
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Unit Dimensions: 10.24"x8.86"x2.09"



WIRELESS JORSTICK



ROOF TOP TFT LCD TV WITH DVD PLAYER

MK-1709G

- 7" Roof Top LCD TV with DVD Player & IR/FM Transmitters
- Compatible with DVD/CD/DVD-R/DVD+R/DVD-RW/DVD+RW/JPEG/MP3/MP4/Game Disc
- TFT Active Matrix Display System
- Resolution: 480xR.G.Bx234
- PAL/NTSC System Compatibility
- 1 A/V Input, 1 A/V Output
- Built-in TV Input
- Built-in USB Connection
- Built-in SD Card Slot
- Built-in IR/FM Transmitter
- With Swivel: Left90°/Right220° Rotation
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Unit Dimensions: 10.24"x8.86"x2.09"



WIRELESS JORSTICK



ROOF TOP TFT LCD TV WITH DVD PLAYER

MK-9600G

- 16:9 Wide Screen Display
- High Resolution: 768 x 234 Pixels
- Brightness: 300 Cd/sq.m
- 320° Swivel Design
- Overhead Console With Twin Dome Lights W/LED
- With Double Channel IR Transmitter
- Built-In TV Tuner
- Built-In Game Slot
- Full Function Wireless Remote
- On screen Menu System
- Front Pushbuttons Controls
- Audio / Video Inputs
- USB And SD Card Inputs
- Multi System: NTSC & PAL
- DVD/VCD/CD/CD-R/DVD±RW/MP3 Compatible
- Power Requirement: 12V DC





SUNVISOR TFT LCD TV WITH DVD

MK-712SVD

- 7 Inch Sunvisor DVD
- Compatible with DVD/VCD/MP3/CD-R/CD/CD-RW
- 16:9 Wide Screen Display
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4 ETC)
- Built In FM Transmitter
- Built In USB Jack
- Built In Game Function
- Built In Speaker
- High Resolution
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



Support SD.MMC Card / USB MP3 Format Broadcast

MK-3021U

- Manual Turning FM Radio
- Support USB and SD/MMC Card
- DC 12V Power Supply
- MP3 Format Broadcast
- Fix Panel



SUNVISOR TFT LCD TV

MK-718SV

- 7 Inch Sunvisor DVD
- PAL/NTSC Video System
- Full Function Remote Control
- With Mirror
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4/RMVB/MP5 ETC)
- Built In FM Transmitter
- Built In USB Jack
- Built In Speaker
- High Resolution
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V



Support SD.MMC Card / USB MP3 Format Broadcast

MK-3022U

- Manual Turning FM Radio
- Support USB and SD/MMC Card
- DC 12V Power Supply
- MP3 Format Broadcast
- Fix Panel



SUNVISOR TFT LCD TV

MK-918SV

- 9 Inch Sunvisor Monitor
- PAL/NTSC Video System
- Full Function Remote Control
- With Mirror
- Built In TV Tuner
- Built In SD/MMC Card Reader (MP3/AVI/MP4/RMVB/MP5 ETC)
- Built In FM Transmitter
- Built In USB Jack
- Built In Speaker
- High Resolution
- Blue Screen If No Signal
- Multi-language OSD Menu
- Power Input: DC 12V





PC-M704G P+G

PC-M703D P+G

PC-M803D

Touch Screen Size	7" (16:9) Capacitive touch screen	7" (16:9) Capacitive touch screen	8" (4:3) Capacitive touch screen
Resolution	800X480	800X480	1024 X 768
chipset solution	Boxchip A13,cortex A8	RockChip 3066,Cortex A9	RockChip 3066,Cortex A9
processor speed	1.5 GHz	1.8G Hz Dual Core	1.8G Hz Dual Core
System			
Operating system	Android 4.0	Android 4.0 OR 4.1	Android 4.0 OR 4.1
RAM	512 MB	1 GB	1GB
ROM Flash	4GB(up to 32gb)	4GB(up to 32gb)	4GB(up to 32gb)
3D by internal Hardware	Yes	Yes	Yes
G Sensor	Yes	Yes	Yes
Support PC Flash player	YES(Flash 11)	YES(Flash 11)	YES(Flash 11)
OSD Language	English/French/German/Russian /Spanish ect.	English/French/German/Russian /Spanish ect.	English/French/German/Russian /Spanish ect.
Functions			
WIFI	Yes	Yes	Yes
3G(inside & outside)	Option	Option	Option
office software	Word/Excel/PDF/TXT ect.	Word/Excel/PDF/TXT ect.	Word/Excel/PDF/TXT ect.
Messenger	MSN/SKYPE/QQ/Email ect	MSN/SKYPE/QQ/Email ect	MSN/SKYPE/QQ/Email ect
Game	Yes	Yes	Yes
Browser internet Explorer	Yes	Yes	Yes
support PC external keyboard	Yes	Yes	Yes
OTG	Yes	Yes	Yes
with HD(FULL HD)	FULL HD (2160P +1080P)	FULL HD (1080P)	FULL HD (2160P +1080P)
Camera	0.3 Mega Pixels	0.3 Mega Pixels	0.3Mega + 2.0 Mega Pixels back
Audio / Video Recording	Yes	Yes	Yes
E-Book	Yes	Yes	Yes
Picture	yes	yes	yes
Video	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.
Audio	MP3/WMA/AC3/WAV ect.	MP3/WMA/AC3/WAV ect.	MP3/WMA/AC3/WAV ect.
Bluetooth	Option	Option	Option
interfaces			
USB	1	1	1
Mini SD(TF Slot)	1	1	1
HDMI	NO	1	1
RJ45	NO	NO	NO
Earphone Out	1	1	1
SIM card	No	No	Optional
speaker			
Audio output power	1W	1W	1W
power supply	5V/1.5A Aadapter: 100v~240v/50hz/60hz	5V/1.5A Aadapter: 100v~240v/50hz/60hz	5V/1.5A Aadapter: 100v~240v/50hz/60hz
Battery	2800MAH	2800MAH	4000MAH
Battery (worktime/one time)	4-6Hours	3-5Hours	4-7Hours



PC-M903D



PC-M973D



PC-M973A

Touch Screen Size	9" (16:10) Capacitive touch screen	9.7" (4:3) Capacitive touch screen	9.7" (4:3) Capacitive touch screen
Resolution	800 X 480	1024 X 768 HD panel	1024 X 768 HD panel
chipset solution	RockChip 3066,Cortex A9	RockChip 3066,cortex A9 Dual Core	Boxchip A10,cortex A8
processor speed	1.8G Hz Dual Core	1.8GHz	1.5 GHz
System			
Operating system	Android 4.0 OR 4.1	Android 4.0 or Andoidr 4.1	Android 4.0 or Andoidr 4.1
RAM	1GB	1GB	1GB
ROM Flash	4GB(up to 32gb)	4GB(up to 32gb)	4GB(up to 32gb)
3D by internal Hardware	Yes	Yes	Yes
G Sensor	Yes	Yes	Yes
Support PC Flash player	YES(Flash 11)	YES(Flash 11)	YES(Flash 11)
OSD Language	English/French/German/Russian /Spanish ect.	English/French/German/Russian /Spanish ect.	English/French/German/Russian /Spanish ect.
Functions			
WIFI	Yes	Yes	Yes
3G(inside & ouPCide)	Option	Option	Option
office software	Word/Excel/PDF/TXT ect.	Word/Excel/PDF/TXT ect.	Word/Excel/PDF/TXT ect.
Messenger	MSN/SKYPE/QQ/Email ect	MSN/SKYPE/QQ/Email ect	MSN/SKYPE/QQ/Email ect
Game	Yes	Yes	Yes
Browser internet Explorer	Yes	Yes	Yes
support PC external keyboard	Yes	Yes	Yes
OTG	Yes	Yes	Yes
with HD(FULL HD)	FULL HD (2160P +1080P)	Full HD Pixels front + 2.0 Mega	Full HD (2160P +1080P) 2.0 Mega
Camera	0.3 Mega Pixels	Pixels back	Pixels back
Audio/ Video Recording	Yes	Yes	Yes
E-Book	Yes	Yes	Yes
Picture	yes	yes	yes
Video	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.	MKV/AVI/RM/RMVB/MPEG1/2/4 ect.
Audio	MP3/WMA/AC3/WAV ect.	MP3/WMA/AC3/WAV ect.	MP3/WMA/AC3/WAV ect.
Bluetooth	Option	Option	Option
interfaces			
USB	1	1	1
Mini SD(TF Slot)	1	1	1
HDMI	1	1	1
RJ45	NO	NO	NO
Earphone Out	1	1	1
SIM card	Optional	Optional	Optional
speaker			
Audio output	1W	1W	1W
power			
power supply	5V/1.5A Aadpter: 100v~240v/50hz/60hz	5V/1.5A Aadpter: 100v~240v/50hz/60hz	5V/1.5A Aadpter: 100v~240v/50hz/60hz
Battery	4000MAH	7800MAH	7800MAH
Battery (worktime/one time)	4-7Hours	8-20 Hours	8-20 Hours



19"/22" LED TV

LED-195HD-19"
LED-225HD-22"

- Image Aspect Ratio: 16:9
- Full Remote Control
- Resolution: 1920x1080
- Supported DTV Resolutions: 480i, 480p, 720p, 1080i, 1080p
- TV Tuner System: Pal/NTSC
- Multi-Language OSD
- Music Files Support: WMA, MP3, MP4, AVI
- Media Files Support: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, DIVX
- Input: USB, YPBPR, Earphone Jack, VGA, HDMI, AV, SPDIF, Audio
- Power Supply: 100-240Hz, 50-60Hz



32" LED TV

LED-32E33-32"

- Image Aspect Ratio: 16:9
- Full Remote Control
- Resolution: 1920x1080
- Supported DTV Resolutions: 480i, 480p, 720p, 1080i, 1080p
- TV Tuner System: Pal/NTSC
- Multi-Language OSD
- Music Files Support: WMA, MP3, MP4, AVI
- Media Files Support: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, DIVX
- Input: USB, YPBPR, Earphone Jack, VGA, HDMI, AV, SPDIF, Audio
- Power Supply: 100-240Hz, 50-60Hz



19"/22"/24" LED TV

LED MK-195L-HD 19"
LED MK-225L-HD 22"
LED MK-245L-HD 24"

- Image Aspect Ratio: 16:9
- Full Remote Control
- Resolution: 1920x1080
- Supported DTV Resolutions: 480i, 480p, 720p, 1080i, 1080p
- TV Tuner System: Pal/NTSC
- Multi-Language OSD
- Music Files Support: WMA, MP3, MP4, AVI
- Media Files Support: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, DIVX
- Input: USB, YPBPR, Earphone Jack, VGA, HDMI, AV, SPDIF, Audio
- Power Supply: 100-240Hz, 50-60Hz



42"/55" LED TV

LED-42H05-42"
LED-55H05-55"

- Image Aspect Ratio: 16:9
- Full Remote Control
- Resolution: 1920x1080
- Supported DTV Resolutions: 480i, 480p, 720p, 1080i, 1080p
- TV Tuner System: Pal/NTSC
- Multi-Language OSD
- Music Files Support: WMA, MP3, MP4, AVI
- Media Files Support: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, DIVX
- Input: USB, YPBPR, Earphone Jack, VGA, HDMI, AV, SPDIF, Audio
- Power Supply: 100-240Hz, 50-60Hz



32" LED TV

MK-329LED

- 32" LED TV
- 1080P FULL HD
- 16:9 Widescreen
- 3 HDMI
- USB
- Stereo Speakers
- PC Input





PC-J3



Revolving Base

Screen size:
21"slim, 21"ultra slim
Multi-system Multi-OSD
Full function remote control.
Auto Search , Auto Store , Auto degaus.
Game/Calendar/Child lock
picture mode: standard, vivid, bright, soft



PC-J5



Revolving Base

Screen size:
21"slim, 21"ultra slim
Multi-system Multi-OSD
Full function remote control.
Auto Search , Auto Store , Auto degaus.
Game/Calendar/Child lock
4 picture mode: standard, vivid, bright, soft



PC-A6 SERIES

Size	Box Size (LxHxW)cm	Loading quantity(sets)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	43.0x38.5x37.0	1134	972	468	NF
14"	(54.8-21.8)x47(488)x37(57)	1260	1097	515	NF Trapezoid
15"	43.0x38.5x37.0	1134	972	468	NF/PF
16"	48.7x44.5x42.0	744	620	305	NF
17"	48.7x44.5x42.0	744	620	305	NF/PF
17.5"	48.7x44.5x42.0	744	620	305	Pf
17"	(54.0-22.0)x47.0(44.0)x42.0(42.5)	924	770	360	NF/PF Trapezoid
18"	57.5x47.5x48.5	480	364	192	NF
Small 19"	57.5x47.5x48.5	480	364	192	NF
18" 19"	(61.5-18.0)x50.0(46.0)x48.5	725	580	280	NF Trapezoid
20"	61.5x48.5x48.5	455	344	168	NF
21"	61.5x48.5x48.5	455	344	168	NF/PF
21"	(68.5-18.0)x49.0(44.0)x48.5	605	476	220	NF/PF Trapezoid
21" Slim TV	(68.5-18.0)x50.0(44.0)x48.5	650	520	240	Pf Trapezoid(Slim)
21" Ultra Slim	(68.5-24.0)x42.0(43.0)x49.5	765	612	292	Pf Trapezoid(Ultra Slim)
25"	78.0x56.0x60.0	252	185	80	NF/SP/PF
27"	86.5x55.5x64.5	220	165	61	NF
29"	86.5x55.5x64.5	220	165	61	NF/SP/PF
29"	(91.4-23.7)x63.5(53.0)x64.5	332	249	114	NF/SP/PF Trapezoid



PC-A3 SERIES

Size	Box Size (LxHxW)cm	Loading quantity(sets)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	43.0x38.5x37.0	1134	972	468	NF
14"	(54.8-21.8)x47(488)x37(57)	1260	1097	515	NF Trapezoid
15"	43.0x38.5x37.0	1134	972	468	NF/PF
16"	48.7x44.5x42.0	744	620	305	NF
17"	48.7x44.5x42.0	744	620	305	NF/PF
17.5"	48.7x44.5x42.0	744	620	305	Pf
17"	(54.0-22.0)x47.0(44.0)x42.0(42.5)	924	770	360	NF/PF Trapezoid
18"	57.5x47.5x48.5	480	364	192	NF
Small 19"	57.5x47.5x48.5	480	364	192	NF
18" 19"	(61.5-18.0)x50.0(46.0)x48.5	725	580	280	NF Trapezoid
20"	61.5x48.5x48.5	455	344	168	NF
21"	61.5x48.5x48.5	455	344	168	NF/PF
21"	(68.5-18.0)x49.0(44.0)x48.5	605	476	220	NF/PF Trapezoid
21" Slim TV	(68.5-18.0)x50.0(44.0)x48.5	650	520	240	Pf Trapezoid(Slim)
21" Ultra Slim	(68.5-24.0)x42.0(43.0)x49.5	765	612	292	Pf Trapezoid(Ultra Slim)
25"	78.0x56.0x60.0	252	185	80	NF/SP/PF
27"	86.5x55.5x64.5	220	165	61	NF
29"	86.5x55.5x64.5	220	165	61	NF/SP/PF
29"	(91.4-23.7)x63.5(53.0)x64.5	332	249	114	NF/SP/PF Trapezoid



PC-A7 SERIES

Size	Box Size (LxHxW)cm	Loading quantity(sets)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	49.5x40.0x37.0	931	804	389	NF
15"	49.5x40.0x37.0	931	804	389	NF/PF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF
21"	(67.0-15.0)x46.0(46.0)x50.0(51.0)	585	468	224	NF/PF Trapezoid
21" Slim TV	64.5x42.0x51.0	500	400	196	Pf Slim
21" Slim TV	(65.7-20.7)x46.0(46.0)x50.0(51.0)	620	496	236	Pf Trapezoid(Slim)
21" Ultra Slim	64.5x37.8x51.0	555	444	216	Pf Ultra Slim
21" Ultra Slim	(72.0-21.0)x43.0(43.0)x50.0(51.0)	660	528	256	Pf Trapezoid(Ultra Slim)



PC-13 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40'HQ(1190x234x269)cm	40'GP(1190x234x238)cm	20'GP(590x234x238)cm	
14"	49.5x40.0x37.0	931	804	389	NF
15"	49.5x40.0x37.0	931	804	389	NF
17"	54.0x45.0x43.0	654	545	270	NF
Big 18"	64.5x51.0x51.0	410	328	160	NF
Big 19"	64.5x51.0x51.0	410	328	160	NF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF
21"	88.8x24.0x36.8(31.9)x31.8	515	412	204	NF/PF.Trapezoid



PC-92 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40'HQ(1190x234x269)cm	40'GP(1190x234x238)cm	20'GP(590x234x238)cm	
14"	45.0x40.0x37.0	1014	870	420	NF
15"	45.0x40.0x37.0	1014	870	420	NF
18"	64.5x51.0x51.0	410	328	160	NF
Big 19"	64.5x51.0x51.0	410	328	160	NF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF



PC-A2 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40'HQ(1190x234x269)cm	40'GP(1190x234x238)cm	20'GP(590x234x238)cm	
16"	54.0x45.0x43.0	654	545	270	NF
17"	54.0x45.0x43.0	654	545	270	NF/PF
18"	57.5x47.5x48.5	480	384	192	NF
Small 19"	57.5x47.5x48.5	480	384	192	NF/PF



PC-69 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	45.0x40.0x37.0	1014	870	420	NF
14"	45.0x40.0x37.0	1384	1186	670	NF, Trapezoid
15"	45.0x40.0x37.0	1014	870	420	NF
16"	54.0x45.0x43.0	654	545	270	NF
17"	54.0x45.0x43.0	654	545	270	NF
17"	57.5x47.5x46.5	930	780	438	NF, Trapezoid
18"	57.5x47.5x46.5	480	384	192	NF
Small 19"	57.5x47.5x46.5	480	384	192	NF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF
21"	64.5x51.0x51.0	585	468	224	NF, Trapezoid
21" Slim TV	64.5x42.0x51.0	500	400	196	Pf, Slim
21" Slim TV	75.0x48.0x48.0x51.0	595	476	220	Pf, Trapezoid(Slim)



PC-63 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	45.0x40.0x37.0	1014	870	420	NF
14"	45.0x40.0x37.0	1384	1186	670	NF, Trapezoid
15"	45.0x40.0x37.0	1014	870	420	NF
16"	54.0x45.0x43.0	654	545	270	NF
17"	54.0x45.0x43.0	654	545	270	NF/PF
17"	57.5x47.5x46.5	930	780	438	NF/PF, Trapezoid
18"	57.5x47.5x46.5	480	384	192	NF
Small 19"	57.5x47.5x46.5	480	384	192	NF/PF
Big 19"	64.5x51.0x51.0	410	328	160	NF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF
21"	64.5x51.0x51.0	585	468	224	NF/PF, Trapezoid
21" Slim TV	64.5x42.0x51.0	500	400	196	Pf, Slim
21" Slim TV	75.0x48.0x48.0x51.0	595	476	220	Pf, Trapezoid(Slim)



PC-A6-1 SERIES

Size	Box Size (LxBxH)cm	Loading quantity(set)			Remarks
		40"HQ(1190x234x269)cm	40"GP(1190x234x238)cm	20"GP(590x234x238)cm	
14"	49.5x40.0x37.0	931	804	389	NF
15"	49.5x40.0x37.0	931	804	389	NF/PF
20"	64.5x51.0x51.0	410	328	160	NF
21"	64.5x51.0x51.0	410	328	160	NF/PF
21"	64.5x51.0x51.0	585	468	224	NF/PF, Trapezoid
21" Slim TV	64.5x42.0x51.0	500	400	196	Pf, Slim
21" Slim TV	68.7x46.0x46.0x51.0	620	496	236	Pf, Trapezoid(Slim)
21" Ultra Slim	64.5x37.8x51.0	556	444	216	Pf, Ultra Slim
21" Ultra Slim	75.0x41.6x43.0x51.0	660	528	256	Pf, Trapezoid(Ultra Slim)

**PC-758**

Real size 7 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 7 inches(16:9) (giftbox shows 7.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function , PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function• Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 480*234, Hitachi Lense, SUNPLUS solution

**PC-789**

Real size 7 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 7 inches(16:9) (giftbox shows 7.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 480*234, Hitachi Lense, SUNPLUS solution

**PC-759**

Real size 7 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 7 inches(16:9) (giftbox shows 7.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function• Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 480*234, Hitachi Lense, SUNPLUS solution

**PC-766**

Real size 7 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 7 inches(16:9) (giftbox shows 7.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 480*234, Hitachi Lense, SUNPLUS solution

**PC-958**

Real size 9 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 9 inches(16:9) (giftbox shows 9.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1400mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 600*234, Hitachi Lense, SUNPLUS solution

**PC-959**

Real size 9 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 9 inches(16:9) (giftbox shows 9.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1400mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 600*234, Hitachi Lense, SUNPLUS solution

**PC-988**

Real size 9 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 9 inches(16:9) (giftbox shows 9.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1400mah battery, can continue working around 2H
- Game & FM radio ,MP3 CD Copy function
- Support USB key,SD/MS/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 600*234, Hitachi Lense, SUNPLUS solution

**PC-966**

Real size 9 inch TFT LCD SCREEN (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 9 inches(16:9) (giftbox shows 9.5") high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ RMVB formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1400mah battery, can continue working around 2H
- Game & FM radio ,MP3 CD Copy function
- Support USB key,SD/MS/MMC card
- Audio-video input/output function
- A grade new screen/resolution: 600*234, Hitachi Lense, SUNPLUS solution

**PC-1129**

Above 10 inch size (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 10.1"(16:9) (giftbox shows 11.5") high resolution color TFT DIGITAL LCD
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT /formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 2000mah battery, can continue working around 2H
- Game & FM radio & MP3 CD Copy function
- Support USB key,SD/MS/MMC card
- Audio-video input/output function
- A grade new digital panel/resolution: 1024*600, Hitachi 1200x Lense, MTK1389-J solution
- With VGA port

**PC-1389**

Above 13 inch size (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 13.3"(16:9) (giftbox shows 16") high resolution color TFT DIGITAL LCD
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT / formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 2000mah battery, can continue working around 2H
- Game & FM radio & MP3 CD Copy function
- Support USB key,SD/MS/MMC card
- Audio-video input/output function
- A grade new digital panel/resolution: 1366*768, Hitachi 1200x Lense, MTK1389-J solution
- With VGA port

**PC-1589**

Above 14 inch size (DVD +PAL/NTSC/SECAM analog TV system)

Functional description

- 270°rotating design,super slim unit
- 14"(16:9) (giftbox shows 16") high resolution color TFT DIGITAL LCD
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT/ formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 2000mah battery, can continue working around 2H
- Game & FM radio & MP3 CD Copy function
- Support USB key,SD/MS/MMC card
- Audio-video input/output function
- A grade new digital panel/resolution: 1366*768, Hitachi 1200x Lense, MTK1389-J solution
- With VGA port



FM Radio

MK-303 Radio

- FM Mono Radio
- AC/DC Operation, USB/SD CARD PLAYER
- Recording Function With LED Display
- Voltage 220V/110V set on 220V
- Rechargeable battery Carrying Strap



FM Radio

MK-304 Radio

- FM Mono Radio
- AC/DC Operation USB/SD CARD PLAY
- Recording Function With LED Display
- Voltage 220V/110V set on 220V
- Rechargeable battery Carrying Strap



FM Mono Radio

MK-305 Radio

- FM Mono Radio
- AC/DC Operation, U SB/SD CARD PLAY, RC.
- Have Recording Function With LED Display
- Voltage 220V/110V set on 220V
- RT: 2.5-3 Hours/1100MAH. Carrying Strap



FM Mono Radio

MK-306 Radio

- FM Mono Radio
- AC/DC Operation, USB/SD CARD PLAY, RC.
- Have Recording Function With LED Display
- Flashlight
- Voltage 220V/110V set on 220V
- RT: 2.5-3 Hours/1100MAH. Carrying Strap



Portable DVD Player

MK-715-7"

- TFT LCD screen with 270° rotation
- Compatible with DVD/DVD±R/DVD±RW/VCD/MP3/MP4/CD±R/CD±RW discs etc
- Support MP3/MP4/WMA/MPG/AVI/VOB/DIVX/JPEG formats etc
- With USB and two-in-one (SD/MMC) jack
- Built in super strong Lithium battery. Adaptor power: AC100-240V
- Super electronic anti-shock (DVD 3 seconds, CD/VCD 10 seconds, Mp3 90 seconds)
- With AV input / output function
- With MP3/CD copy function (Copy to USB)
- With analog TV tuner (PAL/NTSC/SECAM)
- With FM Radio Function
- With Game function
- With TXT reader



Portable DVD Player

MK-915-9"

- TFT LCD screen with 270° rotation
- Compatible with DVD/DVD±R/DVD±RW/VCD/MP3/MP4/CD±R/CD±RW discs etc
- Support MP3/MP4/WMA/MPG/AVI/VOB/DIVX/JPEG formats etc
- With USB and two-in-one (SD/MMC) jack
- Built in super strong Lithium battery. Adaptor power: AC100-240V
- Super electronic anti-shock (DVD 3 seconds, CD/VCD 10 seconds, Mp3 90 seconds)
- With AV input / output function
- With MP3/CD copy function (Copy to USB)
- With analog TV tuner (PAL/NTSC/SECAM)
- With FM Radio Function
- With Game function
- With TXT reader



DVD Player

MK-9975DVD



- MP4/MP3/DVD/SVCD/VCD/CD-R/CD-RW
- LED Display
- Built In 2.0 Channel
- Karaoke Function
- Earphone Jack/mic Jack
- 12V AC/DC Jack
- PLL FM Radio
- Full Function Remote Control
- Wide Voltage
- Speaker Output 10w*2
- Rca Jack



NS-066U-REC

- FM/AM/SW 3 BAND RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY
- WITH RECORDING FUNCTION
- HIGH QUALITY TORCH
- SPEAKER: 3INCH 45HZ 80U 3W
- IC: AC3095+24C02+CD2003+D2822M
- AC/DC OPERATION



NS-073U-REC

- FM RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY
- WITH RECORDING FUNCTION
- HIGH QUALITY TORCH
- SPEAKER: 3INCH 45HZ 80U 3W
- IC: AC3094 +24C02+D2822M+8075
- AC ONLY FOR CHARGE
- DC 6V (UM-3) X4
- PACKING SIZE : 49.2'40'38 CM/20PCS
- 20FT : 7500 PCS



NS-075U/076U

- AM/FM/SW1-2 4 BAND RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY
- HIGH QUALITY LIGHT
- WITH AUX JACK
- AC ONLY FOR CHARGE
- DC 6V (UM-3) X4





NS-8383U/NS-8585U

- AM/FM /SW1-2 4 BANDS RECEIVER
- RADIO CASSETTE RECORDER WITH USB/SD SLOT
- STRONG POWER OUTPUT
- SPEAKER: 5INCH 60HZ 4OU 10W
- AC/DC OPERATION
- DC6V (UM-1) X4
- UNIT SIZE: 345*125*182MM
- PACKING : 71.7*37.5*41CM/10PCS
- 20FT : 2550PCS ; 40HQ : 6200PCS



NS-5050U

- AM/FM /SW1-2 4 BANDS RADIO WITH USB/SD
- SPEAKER: 5INCH 60HZ 4OU 10W
- IC: CD2003+D2822
- AC/DC OPERATION
- DC:6V (UM-1) X4
- UNIT SIZE: 265*78*165MM
- PACKING : 57.7*42.2*39.7/16PCS
- 20FT : 4640PCS

NS-01U/SGY-02U

- AM/FM /SW1-2 4 BANDS RADIO WITH USB/SD
- SPEAKER: 3.5INCH 45HZ 8OU 3W
- IC: CD2003+D2822
- AC/DC OPERATION
- DC:6V (UM-1) X4
- UNIT SIZE: 210*102*120MM
- PACKING : 58*47*30.2CM/20PCS
- 20FT : 6800PCS

NS-03U

- AM/FM /SW1-9 11 BANDS RADIO WITH USB/SD AND RECHARGEABLE BATTERY
- SPEAKER: 3.5INCH 45HZ 8OU 3W
- IC: CD2003+D2822
- AC/DC OPERATION
- DC:6V (UM-1) X4
- UNIT SIZE: 210*102*120MM
- PACKING : 48.3*44.5*30.7CM/20PCS
- 20FT : 8500PCS


NS-05U/06U

- AM/FM /SW1-9 11 BANDS RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY
- HIGH QUALITY TORCH
- 3 INCH SPEAKER
- DC/AC OPERATION
- DC : 6V (UM-1) X4
- UNIT SIZE : 240*80*175MM
- PACKING : 54.5*50.5*39.8CM /20PCS
- 20FT : 5120PCS



NS-07U/08U

- AM/FM /SW 3 BANDS RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY
- 3 INCH SPEAKER
- DC/AC OPERATION
- DC : 6V (UM-1) X4
- UNIT SIZE : 213*120*142MM
- PACKING : 51.7*48.7*34.7CM /16PCS
- 20FT : 5120PCS



NS-09U/100U

- AM/FM /SW1-9 11 BANDS RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY (1200MA)
- 3 INCH SPEAKER
- HIGH QUALITY TORCH
- DC/AC OPERATION
- DC : 6V (UM-1) X4
- UNIT SIZE : 245*90*165MM
- PACKIGN SIZE : 55.7*51.5*37.7CM/20PCS
- 20FT: 5200 PCS



NS-011U

- AM/FM /SW1-8 10 BANDS RADIO WITH USB/SD
- BUILT-IN RECHARGEABLE BATTERY (1200MA)
- 3.5 INCH SPEAKER
- AC ONLY FOR CHARGE
- DC : 6V (UM-1) X3
- UNIT SIZE : 235*62*130MM
- PACKIGN SIZE : 49.2*35.3*29.2CM/20PCS
- 20FT: 11100 PCS



NS-012U

- AM/FM /SW1-8 10 BANDS RADIO WITH USB/SD
- 3.5 INCH SPEAKER
- DC/AC OPERATION
- DC : 6V (UM-1) X3
- UNIT SIZE : 235*62*130MM
- PACKIGN SIZE : 49.2*35.3*29.2CM/20PCS
- 20FT: 11100 PCS



NS-558U

- AM/FM /SW1-2 4 BANDS RECEIVER WITH USB/SD
- RADIO CASSETTE RECORDER
- STRONG POWER OUTPUT
- 6 INCH SPEAKER
- AC/DC OPERATION
- DC 9V (UM-1) X6
- UNIT SIZE: 385*156*250MM
- PACKING: 43*42*58.5CM/4PCS
- 20FT: 1072PCS; 40HQ: 2580PCS





NS-030U

- FM RADIO WITH USB/SD
- 600MA NOKIA BATTERY AND ADAPTER&USB CABLE
- SPEAKER: \varnothing 57mm 8 Ω 2W 40HZ8MM
- UNIT SIZE: 72*35*122MM
- PACKING : 52.2*45.8*30.5CM/60PCS



NS-031U

- FM RADIO WITH USB/SD
- 600MA NOKIA BATTERY AND ADAPTER&USB CABLE
- SPEAKER: \varnothing 57mm 8 Ω 2W 40HZ8MM
- UNIT SIZE: 111*37*82MM
- PACKING : 52.2*42.8*35CM/60PCS



NS-032U/033U

- FM/AM/SW1-8 10 BAND RADIO WITH USB/SD SLOT
- 600MA NOKIA BATTERY AND ADAPTER&USB CABLE



NS-550U/NS-560U

- AM/FM /SW1-2 4 BANDS RECEIVER
- RADIO CASSETTE RECORDER WITH USB/SD SLOT
- STRONG POWER OUTPUT
- SPEAKER: 3.5INCH 50HZ 40U 5W
- AC/DC OPERATION
- DC6V (UM-1) X4
- UNIT SIZE: 352*110*141MM
- PACKING : 66.5*38.3*34CM/10PCS
- 20FT : 3400PCS ; 40HQ : 7900PCS

NS-FS70U/NS-B5U


- AM/FM /SW1-2 4 BANDS RECEIVER
- RADIO CASSETTE RECORDER WITH USB/SD
- STRONG POWER OUTPUT
- SPEAKER: 4 INCH 45HZ 40U 5W
- AC/DC OPERATION
- DC: 9V (UM-1) X6
- UNIT SIZE: 435*142*138MM
- PACKING: 82.8*46.3*30.6CM/10PCS
- 20FT: 2470PCS; 40HQ: 5800PCS

NS-8080U/8181U/8282U

- AM/FM/SW1-2 4 BANDS
- RADIO CASSETTE RECORDER WITH USB/SD
- IC: CD2003+KA2206
- SPEAKER: 5INCH 60HZ 40U 10W
- DC/AC OPERATION
- DC: 6V (UM-1) X4
- UNIT SIZE: 320*118*156MM
- PACKING: 76.8*35.5*37cm/10PCS
- 20FT: 2800PCS 40HQ: 6800PCS

NS-7878U/NS-300U

- AM/FM /SW1-2 4 BANDS RECEIVER
- RADIO CASSETTE RECORDER WITH USB/SD SLOT
- STRONG POWER OUTPUT
- SPEAKER: 5INCH 60HZ 40U 10W
- AC/DC OPERATION
- DC6V (UM-1) X4
- UNIT SIZE: 307*110*205MM
- PACKING: 70.7*35*45.5CM/10PCS
- 20FT: 2500PCS; 40HQ: 6100PCS





CD/MP3 Boom box

MK-9238CD

- Top Loading CD/CD-RW/MP3
- LCD Display
- USB Port & SD/MMC/Card Reader
- 2-Band Stereo FM/AM Radio
- Random Playback
- Stereo Earphone Jack
- Remote Control
- AC: 110V/220V-50/60Hz
- DC: 12V (Size: C/LR14x8)



FM/AM/SW Radio

MK-299 Radio

- FM/AM/SW Mono Radio
- AC/DC Operation
- USB/SD CARD PLAY
- Voltage 220V/110V set on 220V
- Rechargeable battery



CD/MP3 Boom box

MK-9260CD

- CD Player, Compatible CD-R/CD-RW
- Programmable Playback Function
- Repeat Playback Function (one or all)
- External USB/TF Port
- Remote Control
- FM ST./AM Radio
- LCD Display
- Stereo Earphone Jack
- DC: 9V (UM-2x6 Batteries) (Batteries Not Included)
- AC (110V/220V-50/60Hz)



FM/AM/SW Radio

MK-300 Radio

- FM/AM/SW Mono Radio
- AC/DC Operation
- USB/SD CARD PLAY
- Voltage 220V/110V set on 220V
- Rechargeable battery



CD/MP3 Boom box

MK-9261CD

- Top Loading CD/CD-R/CD-RW/MP3 Player
- LCD Display
- Built-in USB Port + SD/MMC Slot
- 2-Band Stereo FM/AM Radio
- Speakers: 2.5"x2
- Remote Control
- DC: 9V (UM-2x6 BATTERIES) (Batteries are not included)
- AC: 110V/220V-50/60Hz



FM/AM/SW Radio

MK-301 Radio

- FM/AM/SW Mono Radio
- AC/DC Operation
- USB/SD CARD PLAY
- Voltage 220V/110V set on 220V
- Rechargeable battery



CD/MP3 Boom box

MK-9262CD

- CD/CD-R/CD-RW/MP3 player
- External USB port&SD/MMC card slot
- AM/FM stereo high sensitive radio
- External audio input function and earphone jack
- Multi-functional LCD display
- Power supply: Dry battery/ External AC input
- Remote Control
- Voltage 220V/110V set on 220V



FM/MW/SW1-8 10 Band Radio

MK-302 Radio

- FM/MW/SW1-8 10 Band Radio
- AC/DC Operation
- USB/SD CARD PLAY
- 25 Led Lights, Recording Function
- Voltage 220V/110V set on 220V
- Rechargeable battery





USB/SD/Radio Boom Box

MK-296

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support Mp3 Format)
- Lcd Display
- Remote Control
- Rechargeable Battery
- Aux Input
- AC 110-220V/60-50Hz
- DC 6V (um-1dx4PCS)
(Batteries Not Included)



DVD Boom box

MK-9234DVD

- DVD Player and Repeat Function, Compatible with CD-RCD-RW
- DVD/VCD/SVCD/DVCD/CD/MP4/MP3 Programmable Playback
- DVD/VCD/SVCD/DVCD/CD Memory Playback
- External USB/SD/MMC/MS Port
- Multi-Functional Remote Control System
- Full Functional LCD Display
- FM ST./TV/AM Radio
- Cassette Recorder/ST. Player
- Stereo Earphone Jack
- DC 12V (UM-1x8) [Batteries Not Included]
- AC (110V/220V-50/60Hz)



USB/SD/Radio Boom Box

MK-297

- AM/FM/SW1-79 Band Radio Receiver
- High Sensitivity
- With 1 Way Speaker Playerfor USB-SD-PC Link
- USB/SD MP3/WMA/WAV Player
- Rechargeable Battery
- With Remote Control
- 360 and Ultra Long Antenna
- AC 110-220V/60-50Hz
- DC 6V (um-1dx4PCS)
(Batteries Not Included)



DVD/MP3 Boom box

MK-1011DVD

- DVD Boombox with analog radio
- Top Loading DVD, VCD, CD Player
- DVD,VCD,CD, CD-R, CD-RW Compatible
- Play/Pause, Skip, Repeat(one, all) functions.
- AM/FM Radio, Telescopic FM Antenna
- 2 Pcs of 3" Full-range stereo speakers, 1.5W x2(RMS)
- 3.5mm Aux-in jack, 6.3mm mic jack
- S-video jack, Video-out function
- AC/DC operation
- Built-in USB Port and SD/MMC Slot
- Recording function from CD/MP3 to USB &SD, or recording between USB&SD
- Battery operation: 8 x "C" batteries (Not included)
- Accessories: remote controller, av cable, user manual, AC cable



USB/SD/Radio Boom Box

MK-298

- AM/FM/SW1-2 4 Band Radio
- Rechargeable Lead-acid Battery
- High Sensitivity Receiver
- USB/SD Slot (support Mp3 Format)
- Lcd Display
- USB Port & SD Card Slot
- Memory Card Reader
- MP3/WMA/WAV
- Remote Control
- Built-in High Quality Speaker
- Aux-In Jack
- Headphone Function
- 360 Rotary Telescopic Antenna
- AC 110-220V/60-50Hz



CD/MP3 Boom box

MK-9233CD

- CD/CD-R/CD-RW/MP3 player
- External USB port&SD/MMC card slot
- AM/FM stereo high sensitive radio
- External audio input function and earphone jack
- Multi-functional LCD display
- Power supply: Dry battery/ External AC input
- Remote Control
- Voltage 220V/110V set on 220V



DVD Boom box

MK-9204DVD

- Portable DVD Digital Super Player
- DVD/VCD/SVCE/DVCD/CD/MP3/MP4 Programmable playback
- DVD/VCD/SVCE/DVCD/CD Programmable & Memory playback
- DVD Player and repeat function, compatible with CD-R/CD-RW
- External USB/SD/MMC/MS Port
- Multi-Functional Remote Control System
- Full Functional LCD Display
- Dual MIC Jacks, Karaoke Function
- Optical/Coaxial Output
- Built-in MIC
- FM ST./AM Radio
- Cassette Recorder/ST. Player
- DC 12V (UM-1x8) [Batteries not included]
- AC (110V/220V-50/60Hz)



CD/MP3 Boom box

MK-9236CD

- CD Player, Compatible CD-R/CD-RW
- Programmable Playback Function
- Repeat Playback Function (one or all)
- External USB/SD/MMC Port
- Remote Control
- FM ST./AM Radio
- LCD Display
- Stereo Earphone Jack
- DC: 9V (UM-2x6 Batteries) (Batteries not included)
- AC (110V/220V-50/60Hz)





USB/SD/Radio Boom Box

MK-288

- AM/FM/SW1-9 11 Band Radio
- With USB and SD Slot
- Built-in Rechargeable Battery
- With Remote Control
- Stereo System
- Aux Jack
- AC Power Supply
- DC 6V (um-1x4)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-292

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support MP3 Format)
- Lcd Display
- Headphone Connection
- Rechargeable Battery
- Aux Input
- AC 220V/50Hz
- DC 6V (um-1 D x 4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-289

- AM/FM/SW1-2 World Receiver
- USB/SD(MP3/WMA) Player
- Rechargeable Battery
- 360° Antenna
- High Sensitivity Receiver
- Stereo Earphone Jack Ø3.5mm
- Audio In Jack
- AC Power Supply
- DC 6V (um-1"D"x4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-293

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support MP3 Format)
- Lcd Display
- Headphone Connection
- Rechargeable Battery
- Aux Input
- AC 220V/50Hz
- DC 6V (um-1 D x 4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-290R

- AM/FM/SW1-2 World Receiver
- USB/SD(MP3) Recorder Player
- Rechargeable Battery
- 360° Antenna
- With Recording Features From AM/FM/SW Station to USB/SD Card
- Recording From Mic to USB, SD Card Available
- High Sensitivity Receiver
- Stereo Earphone Jack Ø3.5mm
- Audio In Jack
- AC Power Supply
- DC 6V (um-1"D"x4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-294

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support MP3 Format)
- Lcd Display
- Headphone Connection
- 1200MA Rechargeable Battery
- Aux Input
- AC 220V/50Hz
- DC 6V (um-1 D x 4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-291

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support MP3 Format)
- Lcd Display
- Headphone Connection
- Rechargeable Battery
- Aux Input
- AC 220V/50Hz
- DC 6V (um-1 D x 4PCS)
- (Batteries Not Included)



USB/SD/Radio Boom Box

MK-295

- AM/FM/SW1-2 4 Band Radio Receiver
- High Sensitivity Receiver
- USB/SD Slot (support MP3 Format)
- Lcd Display
- Headphone Connection
- Rechargeable Battery
- Aux Input
- AC 220V/50Hz
- DC 6V (um-1 D x 4PCS)
- (Batteries Not Included)





DVD-280K



DVD-440



DVD-490



DVD-500



DVD-550



DVD-680



DVD-790



DVD-1090



DVD-2003



DVD-3510



DVD-337



DVD-337B



DVD-660



DVD-P390K

DVD PLAYER - 360MM

- **Built-in DOLBY DIGITAL/AC3 Double Decoder**
- **DVD/DVD-RW/CD-R/CD-RW Compatible**
- **CD/VCD/SVCD/HDCD/MP3/MPEG4 Playback**
- **USB Jack For USB Playback and to copy/record files from CD to USB**
- **Scart/ Coaxial/VGA Output**
- **DivX Movie Support**
- **Dolby Digital Surround**
- **Full Function Remote Control**
- **Parental Lock**
- **Multi Language OSD**
- **High Resolution**



DVD-236



DVD-290K



DVD-380k



DVD-450



DVD-480



DVD-560



DVD-670



DVD-780



DVD-1080



DVD-2000




DVD-2002



DVD-3520



DVD-338



DVD-650



DVD-S600

DVD PLAYER - 430MM

- **Built-in DOLBY DIGITAL/AC3 Double Decoder**
- **DVD/DVD-RW/CD-R/CD-RW Compatible**
- **CD/VCD/SVCD/HDCD/MP3/MPEG4 Playback**
- **USB Jack For USB Playback and to copy/record files from CD to USB**
- **Scart/ Coaxial/VGA Output**
- **DivX Movie Support**
- **Dolby Digital Surround**
- **Full Function Remote Control**
- **Parental Lock**
- **Multi Language OSD**
- **High Resolution**



**AMPLIFIER
PC-18**



**AMPLIFIER
PC-52**



**AMPLIFIER
PC-53**



**AMPLIFIER
PC-80**



**AMPLIFIER
PC-21**



**AMPLIFIER
PC-20**



**AMPLIFIER
PC-19**



**AMPLIFIER
PC-22**



**AMPLIFIER
PC-60**



Hi-Fi Music System

MK-1999DVD

- 2 USB Slot
- Formats: DVD/DVCD/SVCD/VCD/MP4/MP3/CD/Karaoke Disc/WMA
- CD/MP4 Ripping Function
- PMPO: 8000 Watts
- 3.5mm AUX/MP3-In Jack
- Karaoke Function in VCD/DVD Mode
- Full Function IR Remote Control
- Dual Voltage: AC 110V/220V-50/60Hz
- MP3 ID3 Tag
- LCD Display
- Compatible with DVD+R/DVD+RW/DVD-R/DVD-RW/CD-R/W/CD-R
- 2 Band AM/FM PLL Tuning
- 4 Band Preset Equalizer
- Double Cassette Recorder
- 6.3mm Mic Input Jack
- RMS: 50 Watts x 2
- AC Operation Only
- Electronic Volume Control
- Auto Stop Deck Mechanism
- 2 Wooden Speaker Boxes
- Dual System NTSC/PAL Output



Hi-Fi Music System

MHC-MK2002DVD

12000W
P.M.P.O.

- DVD Mini Hi-Fi Component System
- DVD/MP4/MP3/VCD/CD Player
- FM/AM PLL Radio Receiver
- USB/SD Direct Reader
- Full Remote Control
- With Speaker Light
- VFD Display
- Power Output: 80W*2 R.M.S
- Aux In/Headphone/Microphone Jack Input



Hi-Fi Music System

MK-8800DVD

- 2 USB Slot
- Formats: DVD/DVCD/SVCD/VCD/MP4/MP3/CD/Karaoke Disc/WMA
- CD/MP4 Ripping Function
- PMPO: 8000 Watts
- 3.5mm AUX/MP3-In Jack
- Karaoke Function in VCD/DVD Mode
- Full Function IR Remote Control
- Dual Voltage: AC 110V/220V-50/60Hz
- MP3 ID3 Tag
- LCD Display
- Compatible with DVD+R/DVD+RW/DVD-R/DVD-RW/CD-R/W/CD-R
- 2 Band AM/FM PLL Tuning
- 4 Band Preset Equalizer
- 6.3mm Mic Input Jack
- RMS: 50 Watts x 2
- AC Operation Only
- Electronic Volume Control
- 2 Wooden Speaker Boxes
- Dual System NTSC/PAL Output



Hi-Fi Music System

MHC-MK2003DVD

12000W
P.M.P.O.

- DVD Mini Hi-Fi Component System
- DVD/MP4/MP3/VCD/CD Player
- FM/AM PLL Radio Receiver
- USB Direct Reading
- Full Remote Control
- Red Speaker Cone
- VFD Display
- Power Output: 80W*2 R.M.S
- Aux In/Headphone/Microphone Jack Input



Hi-Fi Music System

MHC-MK2001DVD

24000W
P.M.P.O.

- DVD Mini Hi-Fi Component System
- DVD/MP4/MP3/VCD/CD Player
- FM/AM PLL Radio Receiver
- Double USB Direct Reader
- Full Remote Control
- With Subwoofer
- VFD Display
- Power Output: 240W R.M.S
- Aux In/Headphone/Microphone Jack Input



Hi-Fi Music System

MHC-MK2004DVD

15000W
P.M.P.O.

- DVD Hi-Fi Component System
- DVD/MP4/MP3/VCD/CD Player
- FM/AM PLL Radio Receiver
- USB/SD Direct Reading
- Full Remote Control
- With Subwoofer
- VFD Display
- Power Output: 150W R.M.S
- Aux In/Headphone/Microphone Jack Input





DVD Player

MK-2001
MK-4001



- Compatible with DVD-R/DVD-RW/DSVCD/SVCD/VCD/MP3/WMA/MPEG4/JPEG/CD/CD-R/CD-RW
- Multiples Subtitles and Angles of View
- Wide Voltage (110-240V 50/60Hz),
- 4:3 and 16:9 Aspect Ratio
- 2.1CH Sound Track Output & Game Function
- Audio Output Function
- Video output Function
- SD Card/USB Port

- NTSC/PAL Auto Transform
- Parental Lock
- Support 4x16 Super Anti-Shocking Function
- Built-in Amplifier and Speaker, with Video, Y/Pb/Pr Output
- CD-Ripping Function
- With 12V DC

DVD Player

MK-3001
MK-5001



- Compatible with DVD-R/DVD-RW/DSVCD/SVCD/VCD/MP3/WMA/MPEG4/JPEG/CD/CD-R/CD-RW
- Multiples Subtitles and Angles of View
- Wide Voltage (110-240V 50/60Hz),
- 4:3 and 16:9 Aspect Ratio
- 2.1CH Sound Track Output & Game Function
- Audio Output Function
- Video output Function
- SD Card/USB Port

- NTSC/PAL Auto Transform
- Parental Lock
- Support 4x16 Super Anti-Shocking Function
- Built-in Amplifier and Speaker, with Video, Y/Pb/Pr Output
- CD-Ripping Function
- With 12V DC

DVD Player

MK-9978DVDK



- MP4/MP3/DVD/SVCD/VCD/CD-R/CD-RW
- LED Display
- Built In 2.0 Channel
- Karaoke Function
- Earphone Jack/mic Jack
- 12V AC/DC Jack

- PLL FM Radio
- Full Function Remote Control
- Wide Voltage
- Speaker Output 10W*2
- RCA Jack

Professional Rechargeable Trolley Speaker

MK-989

- Rated power: 60W x 1, speaker Impedance: 8 ohm
- Speaker 10" x 1 & Tweeter 1" x 2
- Voltage: 110V & 220V selectable (SET ON 220V), DC 12V 17Ah
- Battery working time 4 Hours after fully charged
- Cabinet material: wood + iron
- With DVD Player, with Video Output for DVD Player
- With 2 USB & 2 Remote control, FM Radio, SD/MMC, Equalizer, Recording Function
- Can play CD, CD-R, CD-W, DVD, DVD-R, DVD+R, SVCD, VCD, MP3, MP4, WMA, WMV, KARAOKE PICTURE CD in DVD Player
- USB Recording Function from DVD Player
- Microphone priority switch
- Two Mic Jack & One Guitar Jack
- Measurement: 426 x 340 x 726 mm
- N.W.: 20.3 Kg
- G.W.: 19.2 Kg



Disco Light



Professional Rechargeable Trolley Speaker

MK-989

- Rated power: 60W x 1, speaker Impedance: 8 ohm
- Voltage: 110V & 220V selectable (SET ON 220V), DC 12V 17Ah
- Battery working time 4 Hours after fully charged
- Consumption current: 3.5A (MAX)
- Cabinet material: wood + iron
- With DVD Player, with Video Output for DVD Player
- With USB, Equalizer, remote control, FM Radio
- Can play CD, DVD, VCD, MP4, WMA, WMV in DVD Player
- Microphone priority switch
- 1 PC Wireless Microphone (Included)
- Measurement: 426 x 340 x 726 mm
- N.W.: 20 Kg
- G.W.: 22 Kg



Professional Rechargeable Trolley Speaker

MK-990

- Rated power: 60W x 1, speaker Impedance: 8 ohm
- Voltage: 110V & 220V selectable (SET ON 220V), DC 12V 12Ah
- Battery working time 4 Hours after fully charged
- Consumption current: 3.5A (MAX)
- Cabinet material: wood + iron
- With USB/SD, FM Radio
- 7 Band Equalizer
- Microphone priority switch
- 1 PC Wireless Microphone (Included)
- Measurement: 426 x 340 x 526 mm
- N.W.: 14.5 Kg
- G.W.: 15.5 Kg



**PC-307**

2.1CH active multimedia speaker

Product Description

- Output power : 15W*1+10W*2
- USB/SD/FM Function
- Speaker Units: 4**1+3**2
- With USB/SD/FM Function
- S/N:62dB Separation:45dB
- Subwoofer : 35Hz-190Hz Satellite: 18Hz-18KHz
- Volume/Treble/Bass button
- Subwoofer size : 170(L)*185(W)*200(H)mm
- Satellite size : 83(L)*90(W)*133(H)mm
- Packing :4PCS/CTN -3000SET/40HQ

**PC-575**

2.1CH active multimedia speaker

Product Description

- Output power :total 40W
- USB/SD/FM AC/DC Function
- Speaker Units:4**1+3**2
- S/N:62dB Separation:45dB
- Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz
- Volume/Treble/Bass button
- Subwoofer size : 150(L)*285(D)*250(H)mm
- Satellite size : 115(L)*113(D)*180(H)mm
- Colorbox size : 318(L)*296(D)*327(H)mmN/W (Kg) : 4.4KG G/W (Kg) : 6KG
- Cartonbox size : 602(L)*328(D)*664(H)mm
- 4SET/CARTON N/W (Kg) : 24KG G/W (Kg) : 26KG
- 950SET/20GP 1900SET/40GP 2160SET/40HQ

**PC-2233**

2.1CH active multimedia speaker

Product Description

- Output power : 5W*1+2.5W*2
- Speaker Units: 3**1+2**2
- S/N:62dB Separation:45dB
- Subwoofer : 80Hz-190Hz
- Satellite: 18Hz-18KHz
- Volume
- Subwoofer size : 135(L)*135(D)*135(H)mm
- Satellite size : 87(L)*82(D)*80(H)mm
- Color box size : 235(L)*178(W)*145(H)mm
- Carton box size : L485*D370*H312MM
- Packing :8PCS/CTN G/W (Kg) : 14KG N/W (Kg) : 13KG
- 9700SET/40HQ

**PC-575FU**

2.1CH active multimedia speaker

Product Description

- Output power :total 40W
- USB/SD/FM AC/DC Function
- Speaker Units:4**1+3**2
- S/N:62dB Separation:45dB
- Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz
- Volume/Treble/Bass button
- Subwoofer size : 150(L)*285(D)*250(H)mm
- Satellite size : 115(L)*113(D)*180(H)mm
- Colorbox size : 318(L)*296(D)*327(H)mm
- N/W (Kg) : 4.4KG G/W (Kg) : 6KG
- Cartonbox size : 602(L)*328(D)*664(H)mm
- 4SET/CARTON N/W (Kg) : 24KG G/W (Kg) : 26KG
- 950SET/20GP 1900SET/40GP 2160SET/40HQ

**PC-200**

2.1CH active multimedia speaker

Product Description

- Output power :total 16W
- Speaker Units:4**1+A-103*2
- S/N:62dB Separation:45dB
- Subwoofer : 35Hz-180KHz
- Satellite: 150Hz-15KHz
- Volume
- Subwoofer size : 120(L)*200(D)*190(H)mm
- Satellite size : 83(L)*68(D)*170(H)mm
- Colorbox size : 267(L)*237(D)*248(H)mmG/W (Kg) : 2.26KG N/W (Kg) : 1.94KG
- Carton box size : L549*D487*H511MM
- Packing :8PCS/CTN G/W (Kg) : 18KG N/W (Kg) : 17KG
- 3840SET/40HQ

**PC-579**

2.1CH active multimedia speaker

Product Description

- Output power :total 40W
- USB/SD/FM AC/DC Function
- Speaker Units:4**1+3**2
- S/N:62dB Separation:45dB
- Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz
- Volume/Treble/Bass button
- Subwoofer size : 150(L)*285(D)*250(H)mm
- Satellite size : 115(L)*113(D)*180(H)mm
- Colorbox size : 318(L)*296(D)*327(H)mm
- N/W (Kg) : 4.4KG G/W (Kg) : 6KG
- Cartonbox size : 602(L)*328(D)*664(H)mm
- 4SET/CARTON N/W (Kg) : 24KG G/W (Kg) : 26KG
- 950SET/20GP 1900SET/40GP 2160SET/40HQ



PC-585	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Satellite size : 115(L)*113(D)*180(H)mm
• USB/SD/FM Function	• Colorbox size : 318(L)*296(D)*327(H)mm
• Speaker Units:4**1+3**2	• N/W (Kg) : 4.4KG G/W (Kg) : 6KG
• S/N:62dB Separation:45dB	• Cartonbox size : 602(L)*328(D)*664(H)mm
• Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz	• 4SET/CARTON N/W (Kg) : 24KG G/W (Kg) : 26KG
• Volume/Treble/Bass button	• 950SET/20GP 1900SET/40GP 2160SET/40HQ
• Subwoofer size : 150(L)*285(D)*250(H)mm	



PC-235	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Speaker Units:5.25**1+3**2+1.5**2
• S/N:62dB Separation:45dB	• Subwoofer :35Hz-180Hz Satellite:150Hz-15KHz
• Volume/Treble/Bass button	• Subwoofer size : D320*W173*H270mm
• Satellite size : D145*W135*H202mm	• Colorbox size : D363*W348*H312mm
• Cartonbox size : 712(L)*375(W)*646(H)mm	• Unit N/W (Kg) : 7.13KG G/W (Kg) : 7.625KG
• 4SET/CARTON N/W (Kg):28.5KG G/W (Kg):30.5KG	• 1620SET/40HQ



PC-586	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Satellite size : 115(L)*113(D)*180(H)mm
• USB/SD/FM AC/DC Function	• Colorbox size : 318(L)*296(D)*327(H)mm
• Speaker Units:4**1+3**2	• N/W (Kg) : 4.4KG G/W (Kg) : 6KG
• S/N:62dB Separation:45dB	• Cartonbox size : 602(L)*328(D)*664(H)mm
• Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz	• 4SET/CARTON N/W (Kg) : 24KG G/W (Kg) : 26KG
• Volume/Treble/Bass button	• 950SET/20GP 1900SET/40GP 2160SET/40HQ
• Subwoofer size : 150(L)*285(D)*250(H)mm	



PC-236	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• USB/SD/FM Function
• Speaker Units:5.25**1+3**2+1.5**2	• S/N:62dB Separation:45dB
• Subwoofer :35Hz-180Hz Satellite:150Hz-15KHz	• Functional Regulating
• Volume/Treble/Bass button	• Subwoofer size : D320*W173*H270mm
• Satellite size : D145*W135*H202mm	• Colorbox size : D363*W348*H312mm
• Cartonbox size : 712(L)*375(W)*646(H)mm	• Unit N/W (Kg) : 7.13KG G/W (Kg) : 7.625KG
• 4SET/CARTON N/W (Kg):28.5KG G/W (Kg):30.5KG	• 1620SET/40HQ



PC-236	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• USB/SD/FM Function
• LED display,with Remote and button control	• Speaker Units:5.25**1+3**2+1.5**2
• S/N:62dB Separation:45dB	• Subwoofer :35Hz-180Hz Satellite:150Hz-15KHz
• Volume	• Subwoofer size : D310*W165*H270mm
• Satellite size : D121*W140*H200mm	• Colorbox size : D363*W348*H312mm
• Cartonbox size : 712(L)*375(W)*646(H)mm	• Unit N/W (Kg) : 7.13KG G/W (Kg) : 7.62KG
• 4SET/CARTON N/W (Kg):28.5KG G/W (Kg) : 30.5KG	• 1620SET/40HQ



PC-509	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 50W	• Satellite size : L125*D118*H292mm
• USB/SD/FM Function	• Colorbox size : L350*D350*H385mm
• Speaker Units:5.25**1+3**2+1.5**2	• N/W (Kg) : 7.3KG G/W (Kg) : 8.3KG
• S/N:62dB Separation:45dB	• Cartonbox size : L710*D355*H390mm
• Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz	• 2SET/CARTON N/W (Kg) : 16KG G/W (Kg) : 17.5KG
• Volume/Treble/Bass button	• 1260SET/40HQ
• Subwoofer size : L210*D313*H320mm	



PC-239	
2.1CH active multimedia speaker	
Product Description	
• output power :total 40W	
• USB/SD/FM Function	
• DC12V input	
• Speaker Units:5.25**1+3**2+1.5**2	
• S/N:62dB Separation:45dB	
• Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz	
• Volume/Treble/Bass button	
• Subwoofer size : L193*D243*H305mm	
• Satellite size : L120*D143*H200mm	
• Colorbox size : L390*D360*H295mm	
• Cartonbox size : L740*D405*H610mm	
• Unit NW (Kg) : 7.13KG G/W (Kg) : 7.625KG	
• 4SET/CARTON NW (Kg) : 30KG G/W (Kg) : 32KG	
• 632SET/20GP 1300SET/40GP 1560SET/40HQ	



PC-238	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Functional Regulating
• USB/SD/FM Function	• Subwoofer size : D320*W173*H270mm
• LED display,with Remote and button control	• Satellite size : D145*W135*H202mm
• Speaker Units:5.25**1+3**2+1.5**2	• Colorbox size : D363*W348*H312mm
• S/N:62dB Separation:45dB	• Cartonbox size : 712(L)*375(W)*646(H)mm
• Frequency Response	• Unit NW (Kg) : 7.13KG G/W (Kg) : 7.625KG
• Subwoofer :35Hz-180Hz Satellite:150Hz-15KHz	• 4SET/CARTON NW (Kg) :28.5KG G/W (Kg) :30.5KG



PC-240	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	
• USB/SD/FM/Remote Function	
• DC12V input	
• Speaker Units:5.25**1+3**2+1.5**2	
• S/N:62dB Separation:45dB	
• Subwoofer:35Hz-180KHz Satellite:150Hz-15KHz	
• Volume/Treble/Bass button	
• Subwoofer size : L193*D243*H305mm	
• Satellite size : L120*D143*H200mm	
• Colorbox size : L390*D360*H295mm	
• Cartonbox size : L740*D405*H610mm	
• Unit NW (Kg) : 7.13KG G/W (Kg) : 7.625KG	
• 4SET/CARTON NW (Kg) : 30KG G/W (Kg) : 32KG	
• 632SET/20GP 1300SET/40GP 1560SET/40HQ	



PC-03	
2.1CH active multimedia speaker	
Product Description	
• Output power :40W	• Subwoofer size : 237(L)*210(W)*303(H)mm
• USB/SD/FM/Remote Function	• Satellite size : 110(L)*130(D)*193(H)mm
• DC12V input	• Colorbox size : 390(L)*360(W)*295(H)mm
• Speaker Units:5.25**3**2+1.5**2	• NW (Kg) : 7.5KG G/W (Kg) : 8KG
• S/N:62dB Separation:45dB	• Cartonbox size : 740(L)*405(W)*610(H)mm
• Subwoofer:35Hz-180Hz Satellite:150Hz-15KHz	• 4SET/CARTON NW (Kg) : 32KG G/W (Kg) : 34KG
• Volume/Treble/Bass button	• 632set/20GP 1300set/40GP 1560set/40HQ



PC-01	
2.1CH active multimedia speaker	
Product Description	
• Output power :40W	• Colorbox size : 390(L)*360(W)*295(H)mm
• Speaker Units:5.25**3**2+1.5**2	• NW (Kg) : 7.5KG G/W (Kg) : 8KG
• S/N:62dB Separation:45dB	• Cartonbox size : 740(L)*405(W)*610(H)mm
• Subwoofer:35Hz-180Hz Satellite:150Hz-15KHz	• 4SET/CARTON NW (Kg) : 32KG G/W (Kg) : 34KG
• Volume/Treble/Balance/Bass button	• 632set/20GP 1300set/40GP 1560set/40HQ
• Subwoofer size : 237(L)*210(W)*303(H)mm	
• Satellite size : 110(L)*130(D)*193(H)mm	



PC-02	
2.1CH active multimedia speaker	
Product Description	
• Output power :40W	
• USB/SD/FM/Remote Function	
• Speaker Units:5.25**3**2+1.5**2	
• S/N:62dB Separation:45dB	
• Subwoofer:35Hz-180Hz Satellite:150Hz-15KHz	
• Volume/Treble/Bass button	
• Subwoofer size : 237(L)*210(W)*303(H)mm	
• Satellite size : 110(L)*130(D)*193(H)mm	
• Colorbox size : 390(L)*360(W)*295(H)mm	
• NW (Kg) : 7.5KG G/W (Kg) : 8KG	
• Cartonbox size : 740(L)*405(W)*610(H)mm	
• 4SET/CARTON NW (Kg) : 32KG G/W (Kg) : 34KG	
• 632set/20GP 1300set/40GP 1560set/40HQ	



PC-702	
2.1CH active multimedia speaker	
Product Description	
• Output power :40W	• Satellite size : 135(L)*116(W)*207(H)mm
• USB/SD/FM/Remote Function	• Colorbox size : 360(L)*350(W)*325(H)mm
• Speaker Units:5.25*3*2	• Cartonbox size : 716(L)*370(W)*660(H)mm
• S/N:62dB Separation:45dB	• Unit NW (Kg) : 6KG Unit G/W (Kg) : 6.5KG
• Subwoofer:35Hz-180Hz Satellite:150Hz-15KHz	• 4SET/CARTON NW (Kg) : 26KG G/W (Kg) : 28KG
• Volume/Treble/Bass button	• 650SET/20GP 1336SET/40GP 1564SET/40HQ
• Subwoofer size : 308(L)*170(W)*287(H)mm	



PC-902	
2.1CH active multimedia speaker	
Product Description	
• USB/SD/FM/Remote Function	
• Speaker Units:6.5*4*2+1.5*2	
• S/N:55dB Separation:45dB	
• Subwoofer:35Hz-180Hz Satellite:150Hz-15KHz	
• Volume/Treble/Bass button	
• Subwoofer size : 303(L)*230(W)*350(H)mm	
• Satellite size : 180(L)*150(D)*320(H)mm	
• Colorbox size : 482(L)*373(W)*402(H)mm	
• NW (Kg) : 9KG G/W (Kg) : 9.5KG	
• Cartonbox size : 760(L)*492(W)*422(H)mm	
• 2SET/CARTON NW (Kg) : 19KG G/W (Kg) : 21KG	
• 880SET/40HQ	



PC-900	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Satellite size : D120*W115*H193mm
• FM RADIO	• Colorbox size : D363*W348*H300mm
• Speaker Units:5.25*1*3*2+1.5*2	• Unit NW (Kg) : 8KG Unit G/W (Kg) : 8.5KG
• S/N:55dB Separation:45dB	• Cartonbox size : D710*W375*H620mm
• Subwoofer :35Hz-180Hz Satellite:150Hz-15KHz	• 4SET/CARTON NW (Kg) : 30KG G/W (Kg) : 32KG
• Volume/Treble/Balance/Bass button	• 1680SET/40HQ
• Subwoofer size : D304*W180*H250mm	



PC-5612	
5.1CH active multimedia speaker	
Product Description	
• USB/SD/FM Function	
• LED display,with Remote and button control	
• output power total 30W*15W X 5	
• Speaker Units:5.25*3*3 X 5	
• S/N:70dB Separation:40dB	
• Subwoofer :20Hz-170Hz Satellite:120Hz-20KHz	
• Subwoofer size : 176(L)*345(W)*283(H)mm	
• Satellite size : 95(L)*118(W)*190(H)mm	
• 2SET/CARTON 1270STE/40HQ	



PC-901	
2.1CH active multimedia speaker	
Product Description	
• FM Function	
• output power :total 40W	
• Speaker Units:5.25*1*3*2+1.5*2	
• S/N:62dB Separation:45dB	
• Subwoofer :35Hz-180Hz Satellite: 150Hz-15KHz	
• Volume/Treble/Balance/Bass button	
• Subwoofer size : 200(L)*290(W)*380(H)mm	
• Satellite size : 167(L)*170(W)*300(H)mm	
• Colorbox size : 390(L)*360(W)*290(H)mm	
• Cartonbox size : 459(L)*444(W)*387(H)mm	
• 2SET/CARTON NW (Kg) : 20.5KG G/W (Kg) : 22.5KG	
• 825SET/40HQ	



PC-903	
2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Satellite size : D123*W115*H180mm
• USB/SD/FM Function	• Colorbox size : D360*W248*H475mm
• LED display,with Remote and button control	• Unit NW (Kg) : 6KG G/W (Kg) : 6.5KG
• Speaker Units:5.25*1*3*2	• Cartonbox size : 510(L)*370(W)*495(H)mm
• S/N:62dB Separation:45dB	• 2SET/CARTON NW (Kg) :13.2KG G/W (Kg) :14.4KG
• Subwoofer : 35Hz-180Hz Satellite: 150Hz-18KHz	• 1500SET/40HQ
• VolumeSubwoofer size : D305*W200*H322mm	



PC-5612

5.1CH active multimedia speaker	
Product Description	
• USB/SD/FM Function	
• LED display,with Remote and button control	
• output power :total 30W+15W X 5	
• Speaker Units:5.25*3*X 5	
• S/N:70dB Separation:40dB	
• Subwoofer :20Hz-170Hz Satellite:120Hz-20KHz	
• Subwoofer size : 176(L)*345(W)*283(H)mm	
• Satellite size : 95(L)*118(W)*190(H)mm	
• 2SET/CARTON 1270STE/40HQ	



PC-904

2.1CH active multimedia speaker	
Product Description	
• Output power :total 40W	• Subwoofer size : D305*W200*H322mm
• USB/SD/FM Function	• Satellite size : D123*W115*H180mm
• LED display,with Remote and button control	• Colorbox size : D360*W248*H475mm
• Speaker Units:5.25**1+3**2	• Unit NW (Kg) : 6KG G/W (Kg) : 6.5KG
• S/N:62dB Separation:45dB	• Cartonbox size : 510(L)*370(W)*495(H)mm
• Subwoofer : 35Hz-180Hz Satellite: 150Hz-18KHz	• 2SET/CARTON NW (Kg) : 13.2KG G/W (Kg) : 14.4KG
• Volume	• 1500SET/40HQ



PC-20

5.1CH active multimedia speaker	
Product Description	
• Output power: 20W(RMS THO=10%)	
• Fanshe Frequency Response : 80Hz~18KHz	
• Rated power : 30W	
• Input power : ~220V50Hz	
• Battery unit size : 12V2.6AH	
• Speaker unit size : 5inch bass/5inch treble	
• Wireless system : microphone/ear microphone	
• Wire system : 2 microphone joint input	
• Music Instrument system : 2 music Instrument input	
• Music system : 1.built-in USB MP3 decode 2.DVD/CD etc line input	
• Charging indecation : battery voltage charging/LED display when the battery been filled out	
• Status display : MP3 player/microphone function display	
• 40HQ 3207PCS	



PC-5613

5.1CH active multimedia speaker	
Product Description	
• USB/SD/FM Function	• Satellite size : 95(L)*98(W)*182(H)mm
• VFD display,with Remote and button control	• Centrally size:251(L)*90(W)*95(H)mm
• Output power :total 30W+15WX6	• Colorbox size : 390(L)*360(W)*290(H)mm
• Speaker Units:5.25*3*X 6	• Cartonbox size : 459(L)*444(W)*387(H)mm
• S/N:70dB Separation:40dB	• 2SET/CARTON NW (Kg) : 19.9KG G/W (Kg) : 22.9KG
• Subwoofer :20Hz-170Hz Satellite:120Hz-20KHz	• 1270STE/40HQ
• Subwoofer size : 171(L)*307(W)*324(H)mm	



PC-23

5.1CH active multimedia speaker	
Product Description	
• Output power: 40W(RMS THO=10%)	• Music Instrument system : 2 music instrument input
• Fanshe Frequency Response : 80Hz~18KHz	• Music system : 1.built-in USB MP3 decode 2.DVD/CD etc line input
• Rated power : 50W	
• Input power : ~220V50Hz	• Charging indecation : battery voltage charging/LED display when the battery been filled out
• Battery unit : 12V4.5AH	• Status display : MP3 player/microphone function display
• Speaker unit size : 6.5inch bass/1inch treble	• 2158PCS/40HQ
• Wireless system : microphone/ear microphone	
• Wire system : 2 microphone joint input	



PC-28

5.1CH active multimedia speaker	
Product Description	
• Output power: 20W(RMS THO=10%)	
• Fanshe Frequency Response : 80Hz~18KHz	
• Rated power : 50W	
• Input power : ~220V50Hz	
• Battery unit size : 12V2.6AH	
• Speaker unit size : 8inch bass/5inch treble	
• Wireless system : microphone/ear microphone	
• Wire system : 2 microphone input	
• Music Instrument system : 2 music instrument input	
• Music system : 1.built-in USB MP3 decode 2.DVD/CD etc line input	
• Charging indecation : battery voltage charging/LED display when the battery been filled out	
• Status display : MP3 player/microphone function display	
• 1888PCS/40HQ	



PC-10L	
Product Description	
• Output power: 50W(RMS THO=10%)	
• Fanshe Frequency Response : 80Hz~18KHz	
• Rated power : 60W	
• Input power : ~220V50Hz	
• Battery unit size : 12V12AH	
• Speaker unit size : 10inch bass+8inch treble	
• Wireless system : microphone/ear microphone	
• Wire system : 2 microphone joint input	
• Music Instrument system:music instrument input	
• Music system : 1.built-in USB MP3 decode 2.DVD/CD etc line input	
• 772PCS/40HQ	



PC-88L	
Product Description	
• Output: 60W(RMS THO=10%)	• Wireless system : microhpone/ear microphone
• FansheFrequency Response : 80Hz~18KHz	• Wire system : 2 microphone joint input
• Rated power : 80W	• Music Instrument system : music Instrument input
• Input power : ~220V50Hz	• Music system : 1. built-in USB MP3 decode 2. DVD/CD etc line input
• Battery unit size : 12V12AH	
• Speaker unit : double 8inch bass+8*+8inch treble	• 708PCS/40HQ



PC-88R	
Product Description	
• Output: 40W(RMS THO=10%)	
• FansheFrequency Response:80Hz~18KHz	
• Rated power : 50W	
• Input power : ~220V50Hz	
• Battery unit : 12V12AH	
• Speaker unit : 8inch treble+5inch bass+3inch treble	
• Wireless system : microphone/ear microphone	
• Wire system : 2 microphone joint input	
• Music Instrument system : music Instrument input	
• Music system : 1.built-in USB MP3 decode 2.DVD/CD etc line input	
• 3162pcs/40HQ	



PC-10F-1	
Product Description	
• Output: 60W(RMS THO=10%)	• Wireless system : microphone/ear microphone
• FansheFrequency Response : 80Hz~18KHz	• Wire system : 2 microphone joint input
• Rated power : 80W	• Music Instrument system : music Instrument Input
• Input power : ~220V50Hz	• Music system : 1 built-in USB MP3 decode 2.DVD/CD etc line input
• Battery unit size : 12V12AH	
• Speaker unit : single 10inch bass+8*+8inch treble	• 708PCS/40HQ



PC-8L	
8**1INCH	
Product Description	
• Output power: 40W(RMS THO=10%) 2	• Music system : 1.USB/MP3decoder 2.DVD/CDinput
• Frequency response : 80Hz ~ 18KHz	
• Rated power : 50W	• Charging instructions : Battery voltage recharge/Full of LED display
• Power supply : ~220V50Hz	
• Battery : 12V4.5AH	• 40HIQ:1333 pairs
• Speaker : 6.5"bass/1"high pitch	• Packing size(MM) : 325*305*515
• Wireless system : hand/ear micphorie	
• Wired system : Double microphones hole input	



PC-8EVD	
8**1INCH	
Product Description	
• LED	
• DVD PLAYER	
• USB/SD,Support USB card straight insert play	
• Five period of EQ regulation	
• Guita input	
• Battery build in	
• Aluminum alloy structure	
• Iron grill	
• 40HIQ:747 pairs	
• Packing size(MM) : 420*330*655	



PC-050

Double 15 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 100W*4
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" ×6+15" ×4
6. FM	6. Packing size: (L×W×H)410×360×1133MM
7. Blinking lights	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 203PAIR



PC-080

Single 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 60W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 5" ×2+12" ×2
6. FM	6. Packing size: (L×W×H)471×370×698MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 280PAIR



PC-090

Single 15 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 70W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 5" ×2+15" ×2
6. FM	6. Packing size: (L×W×H)514×360×775MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 237PAIR



PC-820P

Single 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 60W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" ×4+12" ×2
6. FM	6. Packing size: (L×W×H)416×365×740MM
7. Blinking lights	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 302PAIR



PC-818P

Double 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 60W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" ×4+10" ×4
6. FM	6. Packing size: (L×W×H)375×355×926MM
7. Blinking lights	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 275PAIR



PC-118

Single 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 25W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" ×4+8" ×2
	6. Packing size: (L×W×H)639×375×523MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 544PAIR



PC-109	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 30W*2
2. USB/SD reader	2. Impedance: 4ohm/fanshe
3. Microphones output	3. Frequency Response: 20HZ-20KHZ
4. FM	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L*W*H)628*330*560MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 586PAIR



PC-107	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 30W*2
2. Microphones output	2. Impedance: 4ohm/fanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L*W*H)628*330*560MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 586PAIR



PC-300-2	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 30W*2
2. Microphones output	2. Impedance: 4ohm/fanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L*W*H)662*370*609MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 456PAIR



PC-1055	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 35W*2
2. USB/SD reader	2. Impedance: 4ohm/fanshe
3. Microphones output	3. Frequency Response: 20HZ-20KHZ
4. FM	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" x2+10" x2
	6. Packing size: (L*W*H)624*330*560MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 591PAIR



PC-890-10	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*2
2. Guitar output	2. Impedance: 4ohm/fanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 4" x2+10" x2
	6. Packing size: (L*W*H)605*373*565MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 531PAIR



PC-890-12	
Single 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 55W*2
2. Guitar output	2. Impedance: 4ohm/fanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 4" x4+12" x2
	6. Packing size: (L*W*H)675*405*635MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 390PAIR



PC-890-20	
Double 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 60W*4
2. Guitar output	2. Impedance: 4ohmfanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 4" x4+10" x4
	6. Packing size: (L*W*H)348*370*925MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 285PAIR



PC-870-15	
Single 15 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*2
2. Guitar output	2. Impedance: 4ohmfanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L*W*H)510*400*869MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 191PAIR



PC-870	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 35W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Piano lacquer roof	4. S/Nratio: ≥72db
	5. Speaker Unit: 5" x2+10" x2
	6. Packing size: (L*W*H)680*370*602MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 447PAIR



PC-890	
Single 12 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 45W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 5" x2+10" x2
	6. Packing size: (L*W*H)675*405*635MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 390PAIR



PC-310A	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 45W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L*W*H)727*350*675MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 395PAIR



PC-881A	
Double 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 60W*4
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+8" x4
	6. Packing size: (L*W*H)370*350*850MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 309PAIR



PC-1018	
Single 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 40W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" *2+8" *2
	6. Packing size: (L*W*H)558*334*564MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 547PAIR



PC-1028	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 40W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 2" *4+10" *2
	6. Packing size: (L*W*H)663*366*635MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 441PAIR



PC-1038	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 40W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" *2+10" *2
	6. Packing size: (L*W*H)663*366*635MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 441PAIR



PC-1048	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 40W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" *4+10" *2
	6. Packing size: (L*W*H)663*366*635MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 441PAIR



PC-6048	
Single 6 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 20W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Blinking lights	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" *4+6" *2
	6. Packing size: (L*W*H)520*265*420MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 1172PAIR



PC-6018	
Single 6 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 20W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Laser light	4. S/Nratio: ≥72db
	5. Speaker Unit: 2" *4+6" *2
	6. Packing size: (L*W*H)520*265*420MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 1172PAIR



PC-810P	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" *4+10" *2
6. FM	6. Packing size: (L*W*H)665*380*660MM
7. Blinking lights	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 407PAIR



PC-312	
Single 12 inch	
Functional description	Parameters
1. Piano lacquer roof	1. Output power: 45W*2
2. Guitar output	2. Impedance: 4ohmfanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 3" *6+12" *2
	6. Packing size: (L*W*H)416*365*740MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 302PAIR



PC-1075	
Double 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*4
2. Guitar output	2. Impedance: 4ohmfanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 3" *6+12" *2
6. Blinking lights	6. Packing size: (L*W*H)416*365*740MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 302PAIR



PC-870-12	
Single 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*2
2. Guitar output	2. Impedance: 4ohmfanshe
3. USB/SD reader	3. Frequency Response: 20HZ-20KHZ
4. Microphones output	4. S/Nratio: ≥72db
5. FM	5. Speaker Unit: 3" *4+10" *2
	6. Packing size: (L*W*H)505*394*865MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 197PAIR



PC-850A	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 45W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" *4+10" *2
6. FM	6. Packing size: (L*W*H)663*390*665MM
7. Blinking lights	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 395PAIR



PC-820A	
Double 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 65W*4
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 5" *2+10" *4
6. FM	6. Packing size: (L*W*H) 385*355*926MM
7. Blinking lights	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 268PAIR



PC-888	
Trois 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 120W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Professional mixer	4. S/Nratio: ≥72db
5. Piano lacquer roof	5. Speaker Unit: 8" x 3+3" x2
6. Big Prower	6. Packing size: (L*W*H)410x346x1105MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 216PAIR



PC-681	
Trois 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 220W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Professional mixer	4. S/Nratio: ≥72db
5. Piano lacquer roof	5. Speaker Unit: 8" x 3+3" x2
6. Big Prower	6. Packing size: (L*W*H)310x390x1400 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 200PAIR



V-20	
Double 10 inch	
Functional description	Parameters
1. USB/SD/MMC	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit:
	6. Packing size: (L*W*H)375x365x924 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 268PAIR



V-10	
Single 10 inch	
Functional description	Parameters
1. USB/SD/MMC	1. Output power: 75W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit:
	6. Packing size: (L*W*H)713x373x620 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 412PAIR



PC-1210	
Double 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Big Prower	4. S/Nratio: ≥72db
	5. Speaker Unit: 10" x2+12" x2
	6. Packing size: (L*W*H)315x440x930MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 262PAIR



PC-1212	
Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 75W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Big Prower	4. S/Nratio: ≥72db
	5. Speaker Unit: 10" x2+12" x2
	6. Packing size: (L*W*H) 315x440x650 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 377PAIR



PC-1212	
Double 12 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Big Prower	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x 2+12" x 2
	6. Packing size: (L×W×H)410*390*1030 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 206PAIR



PC-860A	
Single 10 inch	
Functional description	Parameters
1. USB/SD/MMC	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x 2+12" x 2
	6. Packing size: (L×W×H)673*376*645 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 417PAIR



PC-1018	
Single 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 40W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" x 2+8" x 2
	6. Packing size: (L×W×H)663*376*635 MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 430PAIR



PC-1085	
Single 8 inch	
Functional description	Parameters
1. USB/SD/MMC	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x 2+12" x 2
	6. Packing size: (L×W×H)605*295*504 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 755PAIR



PC-1055	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 35W*2
2. USB/SD reader	2. Impedance: 4ohmfanshe
3. Microphones output	3. Frequency Response: 20HZ-20KHZ
4. FM	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" x 2+10" x 2
	6. Packing size: (L×W×H)624*330*560MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 591PAIR



PC-850-12	
Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 35W*2
2. USB/SD reader	2. Impedance: 4ohmfanshe
3. Microphones output	3. Frequency Response: 20HZ-20KHZ
4. FM	4. S/Nratio: ≥72db
	5. Speaker Unit: 4" x 2+10" x 2
	6. Packing size: (L×W×H) 660*415*713MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 348PAIR



PC-1035U

Single 10 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 35W*4
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x4+10" x2
	6. Packing size: (L×W×H)620*320*560 MM
	7. PCS/BAG: 2PC/BAG
Container	40 HIQ 612PAIR



PC-88A

Single 10 inch	
Functional description	Parameters
1. USB/SD/MMC	1. Output power: 100W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x2+12" x2
	6. Packing size: (L×W×H)688*440*721 MM
	7. PCS/BAG: 1PC/BAG
Container	40 HIQ 312PAIR



850-12

Single 12 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 100W*4
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 3" x 2+12" x 1
6. FM	6. Packing size: (L×W×H)660*415*713MM
Container	40 HIQ 349PAIR



818W

Single 8 inch	
Functional description	Parameters
1. USB/SD reader	1. Output power: 50W*2
2. Microphones output	2. Impedance: 4ohmfanshe
3. FM	3. Frequency Response: 20HZ-20KHZ
4. Blinking lights	4. S/Nratio: ≥72db
	5. Speaker Unit: 3" x1+8" x1
	6. Packing size: (L×W×H)568*330*575 MM
Container	40 HIQ 629PAIR



1055

Single 10 inch	
Functional description	Parameters
1. Professional mixer	1. Output power: 80W*2
2. Piano lacquer roof	2. Impedance: 4ohmfanshe
3. Guitar output	3. Frequency Response: 20HZ-20KHZ
4. USB/SD reader	4. S/Nratio: ≥72db
5. Microphones output	5. Speaker Unit: 5" x1+10" x1
6. FM	6. Packing size: (L×W×H)620*332*600MM
Container	40 HIQ 755PAIR



Professional Karaoke Loudspeaker

MK-3009(GE)


- Mic Volume/Echo/Bass/Tweeter Control
- With USB / SD Slot and FM Radio
- With EQ, Colorful Lightings and Karaoke
- Speaker unit: 1 Inch x 2 + 10 Inch x 2
- Output power: 100W x 2
- Consumed Power: \leq 200W
- S/N: 85dB \pm 2
- Impedance: 4 Ω
- Frequency Response: 45Hz-18KHz
- Power: AC 220V 50Hz
- Dimension: 380 x 290 x 950 mm
- Pack. Size: 430 x 340 x 1005 mm
- 2 PCS (L/R) / CTN
- N.W: 22 Kg
- G.W: 24 Kg



Professional Karaoke Loudspeaker

MK-90

- Mic Volume / Echo / Bass / Tweeter Control,
- With USB / SD Slot and FM and Screen Displaying, Remote Control Function
- With Disco Colorful Lights on Tweeter and Speaker Unit
- With EQ Regulatory and Karaoke Function
- Speaker unit: 1 Inch x 3 + 10 Inch x 3
- Output power: 100w x 2
- Consumed Power: \leq 200W
- S/N: 85dB \pm 2
- Impedance: 4 Ω
- Frequency Response: 50Hz-18KHz
- Power: AC 220V 50Hz-60Hz
- Dimension: 350 x 300 x 1160 mm
- Pack. Size: 400 x 350 x 1220 mm
- 1PC (L/R) / CTN
- N.W: L: 21Kg / R: 24 Kg
- G.W: L: 23.5 Kg / R: 26.5 Kg



Professional Karaoke Loudspeaker

MK-3009

- Mic Volume/Echo/Bass/Tweeter Control
- With USB Plug / SD Card and FM
- With Screen Displaying, EQ and colourful Lighting and Digital Karaoke
- Speaker unit: 1 Inch x 2 + 10 Inch x 2
- Output power: 100W x 2
- Consumed Power: \leq 200W
- S/N: 85dB \pm 2
- Impedance: 4 Ω
- Frequency Response: 45Hz-18KHz
- Power: AC 220V 50Hz
- Dimension: 380 x 290 x 955 mm
- Pack. Size: 435 x 345 x 1015 mm
- 1PC (L/R) / CTN
- N.W: 22 Kg
- G.W: 24 Kg



2.0CH Professional Karaoke speaker

MK-923

- FM Radio, USB / SD Slot
- MP3 Player
- With Professional Equalizer
- With Karaoke function and guitar jack
- 2 Remote control
- DVD player Built-in can read the files, Divx/Mpeg4/DVD/DVD-R/DVD+R/SVCD/VCD/MP3/CD/CD-R/CD-W/KODAK PICTURE CD compatible
- USB Recording function from DVD Player
- Metal cover for woofer, metal corner
- Speaker unit: 1" x 2 + 10" x 4
- Power Output: 80w x 2 (RMS)
- Dimension: 330 x 305 x 1000 mm
- Voltage: AC 110V /AC 220V (SET ON 220V)



Professional Karaoke Loudspeaker

MK-40L

- Mic Volume/Echo/Bass/Tweeter Control
- With USB / SD Slot and FM Radio
- With EQ, Colorful Lightings and Karaoke
- Speaker unit: 1 Inch x 2 + 12 Inch x 1
- Output power: 80W x 2
- Consumed Power: \leq 150W
- S/N: 85dB \pm 2
- Impedance: 4 Ω
- Frequency Response: 60Hz-16KHz
- Power: AC 220V 50Hz
- Dimension: 380 x 290 x 700 mm
- Pack. Size: 650 x 430 x 755 mm
- 2 PCS (L/R) / CTN
- N.W: 32.5 Kg
- G.W: 34.5 Kg



Multimedia Speaker System

MK-500

Bluetooth

- With DVD Function
- Bluetooth Function
- Karaoke Function
- With USB/SD Card Input
- With FM Function
- VFD Display
- Aux in Jack
- 2.0 Channel Amplifier
- P.M.P.O: 12000 Watts
- RMS: 400 Watts
- Impedance: 89DB
- Frequency: 35Hz-20KHz
- Multi- Function Remote Control
- Compatible With DVD/SVCD/VCD/CD/DVCD/CD-R/DVX/MP4/MP3/JPEG Discs





PC-T73BW
Bayonet Lens Hood



PC-MIC1
Microphone



PC-BH02
BALL HEAD

PC-560
Digital SPEEDLITE



PC-468
DIGITAL
SPEEDLITE



PC-460
DIGITAL SPEEDLITE



PC-JFG2
Flash trigger 2.4G Hz
with two receiver



PC-BG2G
Battery Grip for Nikon D5100



PC-BG2F
Battery Grip for Nikon D3100



PC-MET-A
Multi-Exposure Timer Remote Cord



PC-MET-M
Multi-Exposure Timer Remote Cord

PC-HR
Remote
Handle
Pistol Grip





PC-BG2E
Battery Grip for Nikon D7000



PC-BG1H
Battery Grip for Canon 1100D



PC-RC4
Recorder Remote



PC-SBBW
SOFTBOX



PC-LD500
LED Lights



PC-YN160
LED Photo Light



PC-JSYK3
Optical flash trigger



PC-JFT1
Flash trigger 433Hz
with two receivers



PC-LS375S
3 in 1
silicone lens hood 37mm-77mm



PC-LH60CT
LENS HOOD



PC-LH60C
LENS HOOD



PC-LH73B
LENS HOOD



**PC-LH65
LENS HOOD**



**PC-PHW65D
LENS HOOD**



**PC-LH74
LENS HOOD REPLACES**



**PC-TR541N
CAMERA TRIPOD
IN SILVER**



**PC-TR550AN
CAMERA TRIPOD
IN SILVER**



**PC-TR540N
CAMERA TRIPOD
IN BLACK**



**PC-302
Light Stand**



**PC-S45TF
AC Slave Kit**



**PC-PT50
Photo Table**




LCD-501



LCD-502




LDA01-220




LDA01-221



LDA01-222



LDA01-223



LDA07-443



LP09-44T



LP11-22T



LPA13-462



LPA13-484



LPA13-484C



PF-144



PF-148




PF-422




PF-424



PLB-2



PLB-WA3D



PLB-WA7



Dayaram
General Trading L.L.C
Importers & Exporters



M&M
TRADING FZE
Importers / Exporters & Indentors

+971 4 2258101

sales@dayaram.ae

www.dayaram.ae

506, AL Owais Business Towers, Deira-Dubai UAE