



**Dayaram**

General Trading L.L.C



**HARDWARE, AGRICULTURAL TOOLS , CONSTRUCTION PRODUCTS**



## COMPANY OVERVIEW

Dayaram General Trading LLC is a company that buys and sells products and provides services across the international markets. Established in 1997, the company pioneered the introduction of Chinese and Taiwanese products to the Middle Eastern and African regions, excelling in both exporting and importing. Initially, Dayaram General Trading LLC focused on Readymade Garments and Sundries, partnering with reliable suppliers to procure high-quality products for export and import. (Currently, the company has significantly expanded its portfolio and market reach, leveraging a deep understanding of international trade practices, regulations, and market dynamics).

Dayaram General Trading LLC currently deals in a wide array of products, including FMCG, Electronics, Kitchenware, Readymade Garments, Daily Use Articles, Footwear, Sanitary Ware, Furniture, Mobile Phones & IT Products, Cosmetics, Construction Materials, and Carpets & Upholstery. The company effectively bridges the gap between producers and consumers in various countries, facilitating international trade and ensuring the smooth flow of goods globally.

## BUSINESS GROWTH

Dayaram General Trading LLC was established in the United Arab Emirates, a key trading hub strategically positioned to serve the GCC and African markets. It operates as the representative branch of the H. Daya Group in Hong Kong and Mainland China, under the auspices of SK. Daya International Co. Ltd. and VMD. Daya International Co. Ltd.


The H. Daya Group, renowned for overseeing production across multiple factories, is recognized as one of the largest export houses in Hong Kong and China. With offices in various locations and a dedicated team of over 200 professionals, the Group is well-positioned to manage its global operations efficiently and effectively.

## PROFESSIONAL TEAM


The Dayaram General Trading team is highly skilled in meeting the evolving needs of the market and customers. In addition to their qualified and experienced office staff, they have a team of merchandisers, both in-house and third-party, to promote their product range and introduce new products to their portfolio.




Corrugated Sheet for Roofing(YX18-63.5-825/635)




Corrugated Sheet for Roofing(700)




Corrugated Sheet for Roofing(YX18-63.5-1016/762)




Corrugated Sheet for Roofing(750/950)




Corrugated Sheet for Roofing(YX25-210-840)




Corrugated Sheet for Roofing(800)




Corrugated Sheet for Roofing(YX28-207-828)




Corrugated Sheet for Roofing(YX4-102-918)



Corrugated Sheet for Roofing(1020)




Corrugated Sheet for Roofing(YX35-125-750V-125)







Corrugated Sheet for Roofing(YX12-110-880V-110)




Corrugated Sheet for Roofing(YX34-410-820)




Corrugated Sheet for Roofing(YX10-125-875)




Corrugated Sheet for Roofing(YX51-380-760)




Corrugated Sheet for Wall (YX15-225-900)




Corrugated Sheet for Wall(HV-373)




Corrugated Sheet for Roofing(YX35-247.5-990)




Floor Decking Sheet(YX51-240-720)



Corrugated Sheet for Roofing(YX25-205-820/1025)




Roofing Sandwich Panel 950 Overlap





**roofing nail**



SPC	DIAM	HEAD DIAM	LENGTH
8G x 2"	4.19mm	20mm	51.2mm
8G x 2.5 "	4.19mm	20mm	64.0mm
8G x 3 "	4.19mm	20mm	76.2mm
9G x 1.5 "	3.85mm	20mm	38.4mm
9G x 2 "	3.85mm	20mm	51.2mm
9G x 2.5 "	3.85mm	20mm	64.0mm
9G x 3 "	3.85mm	20mm	76.2mm
10G x 1.75"	3.4mm	20mm	44.5mm
10G x 2 "	3.4mm	20mm	51.2mm
10G x 2.5 "	3.4mm	20mm	64.0mm
10G x 3 "	3.4mm	20mm	76.2mm
11G x 1.75"	3.15mm	18mm	44.5mm
11G x 1.5"	3.15mm	18mm	38.4mm
11G x 2 "	3.15mm	18mm	51.2mm
11G x 2.5 "	3.15mm	18mm	64.0mm
12G x 1.75"	2.80mm	18mm	44.5mm
12G x 1.5"	2.80mm	18mm	38.4mm
12G x 2 "	2.80mm	18mm	51.2mm
12G x 2.5 "	2.80mm	18mm	64.0mm
13G x 1.75"	2.38mm	14mm	44.5mm
13G x 1.5"	2.38mm	14mm	38.4mm
13G x 2 "	2.38mm	14mm	51.2mm

**Common nail**

**Concrete nail**

**Wood scrw**

**Hobnail**



size: 1/2" - 8"



size: 1" - 4"



size: 1", 3/4", 5/8", 1/2"

**linoleum nail**

**galvanized iron wire**

**iron wire**



size: 1" - 4"



size:  $\phi$  0.3mm -  $\phi$  4mm





四方船钉 Square boat nail

SIZE	1"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"
BWG	12	11	10	9	8	7	6




水泥钉 Concrete nail


LENGTH	13mm	16mm	20mm	25mm	30mm	35mm	40mm	50mm	60mm	70mm	80mm	90mm	100mm
DIA	1.6mm	1.8mm	2.0mm	2.2mm	2.5mm	2.8mm	2.8mm	3.4mm	3.7mm	4.1mm	4.5mm	4.8mm	5.0mm
BWG	16	15	14	13	12	11	11	10	9	8	7	6	5
FINISH	Black or Electro Galvanized												




**L钉** L-Concrete nail  
(From 30-100mm Length)



**竹节水泥钉** Bamboo-joint concrete nail  
(From 30-100mm Length)



**钢板钉** Cut masonry nail



SIZE	3D	4D	5D	6D	8D	10D	12D	16D	20D
	1-1/4"	1-1/2"	2"	2-1/4"	2-1/2"	3"	3-1/4"	3-1/2"	4"
FINISH	Black or Electro Galvanized								



### 组合瓦楞钉 Roofing nail with washer

Assembled roofing nail/roofing screws

Length:63mm,75mm,90mm,120mm

Packing: 100sets per bag,10bags per carton.

### 油毡钉 Clouts(Flat head)

SIZE	3/4"	7/8"	1"	1-1/4"	1-1/2"	1-3/4"
DIA	BWG9,BWG10,BWG11					







### 瓦楞钉 Umbrella head roofing nail

Shank: Plain shank or twisted shank

Finish: Electro galvanized/hot dipped galvanized



SIZE	BWG9		BWG10	BWG13
	2-1/2"	3"	2"	1-3/4"

**U型钉** U fence staples

SIZE	3/4"	7/8"	1"	1-1/4"	1-1/2"	2"
FINISH	Bright, Galvanized					

**托盘钉** Pallet nails

SIZE	65mm	75mm	90mm	120mm
FINISH	Electro Galvanized			

**搓丝钉** Screw nail

SIZE	1"	2"	3"	4"
FINISH	Electro Galvanized			

**鞋钉** Shoe stack

SIZE	3/8"	1/2"	3/4"
FINISH	Black		




干壁钉 Drywall screws



纤维板钉 Chipboard screws



自钻螺丝 Self-drilling screws



自攻螺丝 Self-tapping screws

SIZE	From 10mm to 254mm
DIA	M3.0 M3.5 M4.0 M4.5 M5.0 M6.0
FINISH	Black/Grey Phosphated, yellow/blue zinc plated




## Main Products



### Brown Film Faced Plywood

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	8	Check out	
2	Density	Kg/m <sup>3</sup>	EN 322	594	Check out	
3	Bending Quality	Bending Quality Damage Rate	Mpa %	EN 314 -----	Max 145 Min 8.30 80%	Check out
4	Bending Modulus Elasticity	of	Longitudinal Lateral	Mpa	EN 314 1950	Check out
5	Bending Strength/Modulus	Longitudinal Lateral	Mpa	EN 314	48.8 48.8	Check out
6	Surv for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004				

Product:	FILM FACED PLYWOOD
Standard size:	2440 x 1220mm OR 915 x 2133mm
Thickness:	8mm-20mm
Species Core:	Hardwood/poplar or eucalypt
Face/Back veneer:	Impregnated Brown Film OR alternate Brown Film
Grade:	A/A
Glue:	WBP or MR
Coverage:	12kg/m <sup>2</sup> 27kg/m <sup>2</sup>



### Black Film Faced Plywood

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	8	Check out	
2	Density	Kg/m <sup>3</sup>	EN 322	570	Check out	
3	Bending Quality	Bending Quality Damage Rate	Mpa %	EN 314 -----	Max 143 Min 8.79 13%	Check out
4	Bending Modulus Elasticity	of	Longitudinal Lateral	Mpa	EN 314 1502	Check out
5	Bending Strength/Modulus	Longitudinal Lateral	Mpa	EN 314	39.81 44.91	Check out
6	Surv for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004				


Product:	FILM FACED PLYWOOD
Standard size:	2440 x 1220mm OR 915 x 2133mm
Thickness:	8mm-20mm
Species Core:	Hardwood/poplar or eucalypt
Face/Back veneer:	Black Film
Grade:	Responed
Glue:	WBP or MR
Coverage:	10kg/m <sup>2</sup> 12kg/m <sup>2</sup>



### Hard Wood Plywood

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	8	Check out	
2	Density	Kg/m <sup>3</sup>	EN 322	980	Check out	
3	Bending Quality	Bending Quality Damage Rate	Mpa %	EN 314 -----	Max 1.19 Min 8.88 50%	Check out
4	Bending Modulus Elasticity	of	Longitudinal Lateral	Mpa	EN 314 4130 9150	Check out
5	Bending Strength/Modulus	Longitudinal Lateral	Mpa	EN 314	11.6 42.61	Check out
6	Surv for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004				

Product:	HARD PLYWOOD
Standard size:	1220 x 2440mm OR 1220 x 1590mm
Thickness:	2.2mm-30mm
Species Core:	Full hardwood
Face/Back veneer:	Okume/Sheegon/Popul/Cedar etc.
Grade:	B0CC or superior
Glue:	WBP or MR or EI
Utilization:	Laminating/Furniture/Building



### Combi Core Plywood

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	11	Check out	
2	Density	Kg/m <sup>3</sup>	EN 322	558	Check out	
3	Bending Quality	Bending Quality Damage Rate	Mpa %	EN 314 -----	Max 1.09 Min 8.76 50%	Check out
4	Bending Modulus Elasticity	of	Longitudinal Lateral	Mpa	EN 314 5530 4480	Check out
5	Bending Strength/Modulus	Longitudinal Lateral	Mpa	EN 314	18.39 28.45	Check out
6	Surv for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004				

Product:	COMBI CORE PLYWOOD
Standard size:	1220 x 2440mm OR 1220 x 1590mm
Thickness:	2.2mm-30mm
Species Core:	Core is Poplar & hardwood
Face/Back veneer:	Okume/Sheegon/Popul/Cedar etc.
Grade:	B0CC or superior
Glue:	WBP or MR or EI
Utilization:	Laminating/Furniture/Building



### Furniture Plywood

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	12	Check out	
2	Density	Kg/m <sup>3</sup>	EN 322	545	Check out	
3	Bending Quality	Bending Quality Damage Rate	Mpa %	EN 314 -----	Max 1.45 Min 8.76 50%	Check out
4	Bending Modulus Elasticity	of	Longitudinal Lateral	Mpa	EN 314 3911 4897	Check out
5	Bending Strength/Modulus	Longitudinal Lateral	Mpa	EN 314	30.30 41.12	Check out
6	Surv for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004				

Product:	FURNITURE PLYWOOD
Standard size:	1220 x 2440mm OR 1220 x 2590mm
Thickness:	2.2mm-20mm
Species Core:	Cork & Poplar & hardwood
Face/Back veneer:	Okume/Sheegon/Popul/Cedar etc.
Grade:	B0 CC or superior or Furniture
Glue:	WBP or MR or EI or instant glue
Utilization:	Laminating/Furniture/Building



### MDF

MELAMINE MDF BOARD-ANY COLOR,ONE SIDE OR TWO SIDE

Sl.No	Property	Unit	Standard	Value of Test	Result
1	Compressive strength	Mpa	EN 322	9.56	Check out
2	Static bending strength	Mpa	EN 322	28	Check out
3	Elastic modulus	Mpa	EN 322	2820	Check out
4	Screw strength	N	EN 322	1530 Edge ≥ 800	Check out
5	Thickness swelling rate	%	EN 322	18	Check out
6	Density	EDM <sup>3</sup>	EN 322	728	Check out
7	Moisture	%	EN 322	8	Check out
8	Formaldehyde Content Emission	Mg/100g	EN 322	18	Check out
9	Test conclusion	The quality of products comply with various standards like GB/T9846-2004 and EN314-1:2004			

Product:	MDF
Standard size:	1220 x 2440mm 1830x1830mm 1830x2440mm
Thickness:	2.5mm-25mm
Species Core:	Cork & Poplar
Glue:	EI or EI2
Density:	750-850kg



### Particle Board

MELAMINE PARTICLEBOARDS ANY COLOR, ONE SIDE OR TWO SIDE

Sl.No	Property	Unit	Standard	Value of Test	Result
1	Compressive tensile strength	Mpa	EN 590	3.56	Check out
2	Static bending strength	Mpa	EN 22	28	Check out
3	Static modulus	Mpa	EN 2500	2928	Check out
4	Screw strength	N	Face: EN 1009 Edge: EN 1009	1220 900	Check out
5	Thickness swelling rate	%	EN 12	10	Check out
6	Density	KG/M <sup>3</sup>	EN 700	730	Check out
7	Moisture	%	EN 12	8	Check out
8	Formaldehyde Content/Emission	Mg/100g	EN 1099/EN 120 (E2)	18	Check out
9	Test conclusion	The quality of products comply with various standards like (IS 7099-2001 and IS 314-1:2004)			

Product:	PARTICLE BOARD
Standard size:	1220 x 2440mm OR 1525 x 2440mm OR 1030 x 2440mm
Thickness:	3, 6mm, 10mm
Species Core:	Paper & paper
Color:	E1 or E2
Density:	640-688kg



### Block Board

Sl.No	Property	Unit	Test Method	Value of Test	Result	
1	Moisture Content	%	EN 322	8	Check out	
2	Density	Kg/m <sup>3</sup>	EN 323	515	Check out	
3	Bonding Quality	Bonding Quality	Mpa	EN 316	Min: 0.31 Max: 0.77	Check out
		Damage Rate	%	EN 316	55%	
4	Bonding Modulus of Elasticity	Mpa	EN 310	4719	Check out	
5	Bonding Strength/Modulus	Longitudinal	Mpa	EN 310	48.68	Check out
		Lateral	Mpa	EN 310	39.85	
6	Temp. for Test	20°C				
7	Test conclusion	The quality of products comply with various standards like (IS 7096-2004 and IS 314-1:2004)				

Product:	BLOCKBOARD
Standard size:	1220 x 2440mm
Thickness:	18mm, 20mm, 22mm, 25mm, 28mm
Species Core:	Cork & Paper & Blockwood & Palaka
Face/Back veneer:	Optional veneer/Color, natural or any
Utilization:	Landing/Furniture/Building

### Hard Board



Product:	HARDBOARD
Standard size:	1220 x 2440mm
Thickness:	2.00-4.00mm
Utilization:	Furniture/Building

### FANCY PLYWOOD



Product:	FANCY PLYWOOD
Standard size:	1220 x 2440mm
Thickness:	1.60-3.60mm
Utilization:	Furniture/Building
Color:	NATURAL VENEER, E1, E2



001



002



003



004



005



006



007



008

**1.2MM X 72" X 25 YARD 1110/ROLLS 40HQ**

**1.2MM X 79" X 25 YARD 880~900/ROLLS 40HQ**

**1.2MM X 72" X 30MT 880~900/ROLLS 40HQ**

**1.2MM X 79" X 30MT 780~800/ROLLS 40HQ**


**0.35MM X 72" X 30MT 950/ROLLS 20GB**

**1.6MM X 79" X 25 YARD 630/ROLLS 40HQ**

**1.6MM X 79" X 30MT 580/ROLLS 40HQQ**



0111




0112




021



022




023



025



026



027

**1.2MM X 72" X 25 YARD 1110/ROLLS 40HQ**

**1.2MM X 79" X 25 YARD 880~900/ROLLS 40HQ**


**1.2MM X 72" X 30MT 880~900/ROLLS 40HQ**

**1.2MM X 79" X 30MT 780~800/ROLLS 40HQ**

**0.35MM X 72" X 30MT 950/ROLLS 20GB**

**1.6MM X 79" X 25 YARD 630/ROLLS 40HQ**

**1.6MM X 79" X 30MT 580/ROLLS 40HQQ**



028



035



036




037




038



039




041




042


- 1.2MM X 72" X 25 YARD 1110/ROLLS 40HQ**
- 1.2MM X 79" X 25 YARD 880~900/ROLLS 40HQ**
- 1.2MM X 72" X 30MT 880~900/ROLLS 40HQ**
- 1.2MM X 79" X 30MT 780~800/ROLLS 40HQ**
- 0.35MM X 72" X 30MT 950/ROLLS 20GB**
- 1.6MM X 79" X 25 YARD 630/ROLLS 40HQ**
- 1.6MM X 79" X 30MT 580/ROLLS 40HQQ**




043




044




045




046




047



048



049



0410

**1.2MM X 72" X 25 YARD 1110/ROLLS 40HQ**

**1.2MM X 79" X 25 YARD 880~900/ROLLS 40HQ**

**1.2MM X 72" X 30MT 880~900/ROLLS 40HQ**

**1.2MM X 79" X 30MT 780~800/ROLLS 40HQ**

**0.35MM X 72" X 30MT 950/ROLLS 20GB**

**1.6MM X 79" X 25 YARD 630/ROLLS 40HQ**

**1.6MM X 79" X 30MT 580/ROLLS 40HQQ**



# PVC Cabinet Door




SYM-101




SYM-102



SYM-103



SYM-104



SYM-201



SYM-202



SYM-203



SYM-204



SYM-205



SYM-206



SYM-207




SYM-208



SYM-209



SYM-210




SYM-211



SYM-212



SYM-301



SYM-302



SYM-303



SYM-304



## PVC Cabinet Door




SYM-305



SYM-306



SYM-307



SYM-308



SYM-309




SYM-310



SYM-311



SYM-312



SYM-313



SYM-314



SYM-315




SYM-316



SYM-317



SYM-318



SYM-319



SYM-320



SYM-321



SYM-322



SYM-401



SYM-402



	<b>S510-3</b>		<b>S510-4</b>		<b>S510-5</b>		<b>JNS550</b>
	Blade Size WxH(mm) 250 × 270		Blade Size WxH(mm) 255 × 295		Blade Size WxH(mm) 250 × 243		Blade Size WxH(mm) 260 × 290
	Overall Length(mm) 330		Overall Length(mm) 350		Overall Length(mm) 325		Overall Length(mm) 350

	<b>S511-1</b>		<b>S511-2</b>		<b>S511-3</b>		<b>S511-4</b>
	Blade Size WxH(mm) 230 × 220		Blade Size WxH(mm) 230 × 224		Blade Size WxH(mm) 235 × 230		Blade Size WxH(mm) 225 × 270
	Overall Length(mm) 380		Overall Length(mm) 445		Overall Length(mm) 365		Overall Length(mm) 470

	<b>S512-1</b>		<b>S512-2</b>		<b>S512-3</b>		<b>S512-4</b>		<b>S514-1</b>
	Blade Size WxH(mm) 188 × 300		Blade Size WxH(mm) 165 × 255		Blade Size WxH(mm) 180 × 320		Blade Size WxH(mm) 195 × 302		Blade Size WxH(mm) 248 × 267
	Overall Length(mm) 450		Overall Length(mm) 283		Overall Length(mm) 440		Overall Length(mm) 539		Overall Length(mm) 318

	<b>S514-2</b>		<b>S514-3</b>		<b>S515</b>		<b>S518-1</b>
	Blade Size WxH(mm) 220 × 270		Blade Size WxH(mm) 207 × 253		Blade Size WxH(mm) 205 × 270		Blade Size WxH(mm) 280 × 332
	Overall Length(mm) 380		Overall Length(mm) 312		Overall Length(mm) 350		Overall Length(mm) 512



S518-2

Blade Size WxH(mm)
210 x 288
Overall Length(mm)
499



S518-3

Blade Size WxH(mm)
206 x 288
Overall Length(mm)
500



S518-4

Blade Size WxH(mm)
151 x 212
Overall Length(mm)
375



S518-5

Blade Size WxH(mm)
205 x 312
Overall Length(mm)
510



S518-6

Blade Size WxH(mm)
210 x 276
Overall Length(mm)
508



S518-7

Blade Size WxH(mm)
260 x 300
Overall Length(mm)
515



S518-8

Blade Size WxH(mm)
220 x 300
Overall Length(mm)
495



S518-9

Blade Size WxH(mm)
215 x 285
Overall Length(mm)
490



S518-10

Blade Size WxH(mm)
200 x 285
Overall Length(mm)
495



S518-11

Blade Size WxH(mm)
200 x 300
Overall Length(mm)
500



S518-12

Blade Size WxH(mm)
210 x 295
Overall Length(mm)
495



S518-13

Blade Size WxH(mm)
265 x 292
Overall Length(mm)
510



S518-14

Blade Size WxH(mm)
287 x 310
Overall Length(mm)
520



S518-15

Blade Size WxH(mm)
220 x 285
Overall Length(mm)
520




S518-16

Blade Size WxH(mm)
240 x 307
Overall Length(mm)
507



S519-1

Blade Size WxH(mm)
240 x 285
Overall Length(mm)
495



型号	size : AxBxDxC
1 S519L	240*280*1480
2 S519L	240*280*1480
3 S519L	240*280*1480
4 S519L	240*280*1480
5 S519L	240*280*1480
6 S525L-1	180*285*1480
7 S525L-2	215*290*1380
8 S503YB	170*230*840
9 S503YB	170*230*840
10 S503Y	230*300*970
11 S501Y	240*305*970
12 S503V	240*290*1020
13 S501V	230*300*1020



型号	size: AxBxDxC
1 S503V	240*290*1020
2 S501V	230*300*1020
3 S503D	240*290*1020
4 S501D	230*300*1020
5 S503Y-P	240*300*1030
6 S501Y-P	230*290*1030
7 S518Y	215*310*1030
8 S501SY	230*290*1020
9 S503MY	220*280*980
10 S501MY	215*280*980
11 S502MY	255*315*1000





型号	size: AxBxDxC
1 S518H	200*240*1000
2 S519	250*295*1020
3 S518Y-S	290*340*1020
4 S518Y-S	290*340*1020
5 S518T-S	290*340*1020
6 S519Y-S	260*335*1020
7 S518Y	230*305*1070
8 S519Y	240*305*1070
9 S518Y-N	210*290*1070
10 S519Y-N	240*280*1070
11 S512Y-N	215*295*1020



型号	size: AxBxDxC
1	S518D 210*290*1070
2	Euro Model spade 175*290*1030
3	Euro Model fork 163*255*1020
4	S508L 250*270*1480
5	S508T 210*265*1230
6	S526T 175*265*1150
7	S528T 185*260*1150
8	S576V 160*360*1070
9	S576Y 145*400*1020





H301

H302

H304

H305

H306



H313

H315

H316

H317

H318



H319

H320A

H320B

H321

H323



H324

H325

H326A

H327

H328



H329

H330

H331

H340

H341



### HOE HEAD



P401 P402 P402B P406I P403 P404 P405 P402H



P406 P406A P407 P407B P407E P409 P410 P430





M204

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
12	20	19	48*25*18
16	24	23	58*25*18
18	28	27	63*25*18
20	29	28	68*25*18
22	30	29	73*25*18



M204B

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
12	22	20	48*25*17
16	27	25	58*25*18
18	29	27	63*25*18
20	31	29	68*25*18
22	33	31	73*25*18



M206

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
12	22	20	48*25*17
16	27	25	58*25*18
18	29	27	63*25*18
20	31	29	68*25*18
22	33	31	73*25*18



M206A

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
11	23	22	44*25*19
14	25	24	53*25*19
16	27	26	58*25*19
18	29	28	63*25*19
19.5	31	30	67*25*19



M208 M208A

SIZE (inch)	G · W (kg)	N · W (kg)	PKG(carton) (cm)
19	27	25	66*26*19

SIZE (inch)	G · W (kg)	N · W (kg)	PKG(carton) (cm)
19	27	25	66*26*19



M212

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
12	22	20	48*25*16
16	26	24	58*25*16
18	28	26	63*25*16



M251

SIZE (inch)	G · W (kg)	N · W (kg)	PKG(carton) (cm)
15	27	25	54*24*19



M212A

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
19	26	24	48*25*17
21	31	29	58*25*18
22.5	28	26	63*25*18



M213B9#

SIZE (inch)	G · W (kg)	N · W (kg)	PKG(carton) (cm)
14	28	27	50*27*18



M213B5#

SIZE (inch)	G · W (kg)	N · W (kg)	PKG(carton) (cm)
14.5	19	18	54*24*18



M214

SIZE (inch)	G · W (kg)	N · W (kg)	PKG (carton) (cm)
29	26	24	92*18*16
27	27	25	95*22*16



R123




R118



R120



R121



R138



R139



R137



R120



R122





Rubber Mix Plastic Wheel      Rubber Powder Wheel

**WB3800**

Load(kg) : 100  
 Weight(kg) : 12.7  
 Water Capacity : 60  
 Sand Capacity : 4  
 Wheel : 13"x3"  
 LxHxCxAxBxh : 1310x550x490x770x495x260



**WB3806**

Load(kg) : 100  
 Weight(kg) : 12  
 Water Capacity : 65  
 Sand Capacity : 5  
 Wheel : 13"x3"  
 LxHxCxAxBxh : 1405x540x450x820x665x250



**WB4200**

Load(kg) : 130  
 Weight(kg) : 10.3  
 Water Capacity : 65  
 Sand Capacity : 5  
 Wheel : 13"x3"A  
 LxHxCxAxBxh : 1360x465x540x825x585x225



**WB4500**

Load(kg) : 130  
 Weight(kg) : 13.3  
 Water Capacity : 65  
 Sand Capacity : 5  
 Wheel : 13"x3"  
 LxHxCxAxBxh : 1385x490x540x825x585x255



Pneumatic Wheel 4.00-8      Solid Rubber Wheel 14"x4"      Solid Rubber Wheel 14"x4"      Pneumatic Wheel 4.00-8



Rubber Powder Wheel 14"x4"      Pneumatic Wheel 4.00-8      Pneumatic Wheel 3.50-8      Cast Steel Axle Bracket

**WB6200**

Load(kg) : 130  
 Weight(kg) : 10  
 Water Capacity : 65  
 Sand Capacity : 5  
 Wheel : 13"x3"A  
 LxHxCxAxBxh : 1400x460x560x820x660x246



**WB6400**

Load(kg) : 130  
 Weight(kg) : 10  
 Water Capacity : 65  
 Sand Capacity : 5  
 Wheel : 14"x4"A  
 LxHxCxAxBxh : 1400x550x500x840x685x225





**WB6400H**  
 Load(kg) 150  
 Weight(kg) 16.5  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 4.00-8  
 LxHxCxAxBxh 1405x535x535x845x685x225



**WB6408**  
 Load(kg) 130  
 Weight(kg) 13.8  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 16"x4"A  
 LxHxCxAxBxh 1420x585x520x830x680x250



**WB6402**  
 Load(kg) 130  
 Weight(kg) 17.8  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 14"x4"A  
 LxHxCxAxBxh 1370x661x450x820x665x250



**WB6404**  
 Load(kg) 130  
 Weight(kg) 14.3  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 3.50-8  
 LxHxCxAxBxh 1420x640x560x888x565x230



**WB6500**  
 Load(kg) 130  
 Weight(kg) 12.4  
 Water Capacity 58  
 Sand Capacity 5  
 Wheel 13"x3"  
 LxHxCxAxBxh 1395x460x538x820x660x210



**WB6403**  
 Load(kg) 150  
 Weight(kg) 14  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 3.50-8  
 LxHxCxAxBxh 1400x655x645x845x685x225



**WB4008**  
 Load(kg) 130  
 Weight(kg) 11.1  
 Water Capacity 65  
 Sand Capacity 5  
 Wheel 13"x3"  
 LxHxCxAxBxh 1370x505x600x845x685x225



**WB8002**

Load(kg)	180
Weight(kg)	18.3
Water Capacity	80
Sand Capacity	6
Wheel	3.50-8
LxHxCxAxBxh	1585x645x630x970x675x270



**WB8000**

Load(kg)	180
Weight(kg)	18
Water Capacity	80
Sand Capacity	6
Wheel	3.50-8
LxHxCxAxBxh	1550x595x595x970x675x270



**WB8001**

Load(kg)	160
Weight(kg)	18
Water Capacity	80
Sand Capacity	6
Wheel	4.00-8
LxHxCxAxBxh	1590x560x570x970x675x270



**WB8614**

Load(kg)	200
Weight(kg)	20
Water Capacity	102
Sand Capacity	7
Wheel	6.50-8
LxHxCxAxBxh	1515x525x520x980x633x296



**WB8615**

Load(kg)	200
Weight(kg)	20
Water Capacity	107
Sand Capacity	7
Wheel	6.50-8
LxHxCxAxBxh	1550x530x560x980x633x296



**WB8616**

Load(kg)	200
Weight(kg)	20
Water Capacity	107
Sand Capacity	7
Wheel	6.50-8
LxHxCxAxBxh	1540x520x570x980x633x296



**WB7808-1**

Load(kg)	160
Weight(kg)	18
Water Capacity	100
Sand Capacity	7
Wheel	4.00-8
LxHxCxAxBxh	1480x612x530x980x633x296



**WB7805P**  
 Load(kg) 150  
 Weight(kg) 25  
 Water Capacity 100  
 Sand Capacity 7  
 Wheel 4.00-8PU  
 LxHxCxAxBxh 1510x525x550x980x635x296



**WB8604**  
 Load(kg) 200  
 Weight(kg) 23.7  
 Water Capacity 102  
 Sand Capacity 7  
 Wheel 6.50-8  
 LxHxCxAxBxh 1535x480x545x980x633x296



**WB8611**  
 Load(kg) 150  
 Weight(kg) 21  
 Water Capacity 100  
 Sand Capacity 7  
 Wheel 4.00-8PU  
 LxHxCxAxBxh 1500x505x565x980x633x296



**WB2115**  
 Load(kg) 100  
 Solid Tyre -  
 Pneumatic Tyre 3.50-4,5.00-6  
 Body Size(LxW1XH)(mm) 1280x110x850  
 Own Weight(kg) 23



**WB3087**  
 Load(kg) 150  
 Weight(kg) 22  
 Water Capacity 80  
 Sand Capacity 7  
 Wheel 4.00-8  
 LxHxCxAxBxh 1415x595x430x1145x715x355



**WB3038**  
 Load(kg) 200  
 Weight(kg) 26  
 Water Capacity -  
 Sand Capacity -  
 Wheel 3.50-4  
 LxHxC 1200x1060x765



**WB6418**  
 Load(kg) 160  
 Weight(kg) 13.8  
 Water Capacity 75  
 Sand Capacity 6  
 Wheel 4.80/4.00-8  
 LxHxCxAxBxh 1475x590x610x925x590x265

**WB6424**

Load(kg) 120  
 Weight(kg) 11.3  
 Water Capacity 60  
 Sand Capacity 4.5  
 Wheel 4.00-8  
 LxHxCxAxBxh 1450x585x600x840x640x230



**WB6438**

Load(kg) 120  
 Weight(kg) 14  
 Water Capacity 69  
 Sand Capacity 5  
 Wheel 4.00-8  
 LxHxCxAxBxh 1375x600x600x860x600x255



**WB6307**

Load(kg) 160  
 Weight(kg) 12  
 Water Capacity 72  
 Sand Capacity 5  
 Wheel 4.80/4.00-8  
 LxHxCxAxBxh 1435x610x585x880x595x285



**WB6431**

Load(kg) 160  
 Weight(kg) 14.4  
 Water Capacity 72  
 Sand Capacity 5  
 Wheel 4.00-8  
 LxHxCxAxBxh 1480x610x615x875x595x285



**WB6432**

Load(kg) 160  
 Weight(kg) 15  
 Water Capacity 72  
 Sand Capacity 5  
 Wheel 3.25-8  
 LxHxCxAxBxh 1390x530x620x875x595x285



**WB6306**

Load(kg) 180  
 Weight(kg) 12  
 Water Capacity 120  
 Sand Capacity 6  
 Wheel 4.80/4.00-8  
 LxHxCxAxBxh 1450x565x615x925x590x265





**TC1803**

Load(kg)	80
Solid Tyre	-
Pneumatic Tyre	10"x3.5", 13"x3"
Body Size(LXW1XH)(mm)	850x570x700
Own Weight(kg)	12.3



**TC1803F**

Load(kg)	90
Solid Tyre	-
Pneumatic Tyre	3.50-4, 13"x3"
Body Size(LXW1XH)(mm)	1615x590x700
Own Weight(kg)	23



**TC1803G**

Load(kg)	90
Solid Tyre	-
Pneumatic Tyre	3.50-4, 13"x3"
Body Size(LXW1XH)(mm)	1200x570x710
Own Weight(kg)	14.6



**TC1812M**

Load(kg)	100
Solid Tyre	-
Pneumatic Tyre	3.00-4
Body Size(LXW1XH)(mm)	935x600x570
Own Weight(kg)	17



**TC1800**

Load(kg)	150
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	995x495x865
Own Weight(kg)	14



**TC1801**

Load(kg)	150
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	995x495x865
Own Weight(kg)	15



**TC1801-I**

Load(kg)	150
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	995x495x865
Own Weight(kg)	15.2



**TC1823**

Load(kg)	100
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	1035x480x815
Own Weight(kg)	18.4



**TC1411**

Load(kg)	200
Solid Tyre	-
Pneumatic Tyre	2.50-4
Body Size(LXW1XH)(mm)	955x400x990
Own Weight(kg)	21.25



**TC1806**

Load(kg)	200
Solid Tyre	-
Pneumatic Tyre	250-4
Body Size(LXW1XH)(mm)	1020x540x1020
Own Weight(kg)	22



**TC1807**

Load(kg)	250
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	1220x610x330
Own Weight(kg)	26.5



**TC1807S**

Load(kg)	250
Solid Tyre	-
Pneumatic Tyre	3.50-4
Body Size(LXW1XH)(mm)	1170x514x765
Own Weight(kg)	20.1



**TC1809**

Load(kg)	50
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	966x510x830
Own Weight(kg)	30



**TC1840**

Load(kg)	700
Solid Tyre	-
Pneumatic Tyre	13x5.00-6
Body Size(LXW1XH)(mm)	1235x615x1035
Own Weight(kg)	37



**TC1840A**

Load(kg)	120
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW1XH)(mm)	1203x608x300
Own Weight(kg)	



**TC1840C**

Load(kg)	680
Solid Tyre	-
Pneumatic Tyre	13x5.00-6
Body Size(LXW1XH)(mm)	1425x630x975
Own Weight(kg)	42



**TC1846**

Load(kg)	150
Solid Tyre	-
Pneumatic Tyre	5.00-6
Body Size(LXW1XH)(mm)	1375x648x1020
Own Weight(kg)	42



**TC3038P**

Load(kg)	200
Solid Tyre	-
Pneumatic Tyre	3.50-8
Body Size(LXW1XH)(mm)	1230x770x625
Own Weight(kg)	21.4



**HT1881**

Load(kg)	250
Solid Tyre	-
Pneumatic Tyre	10"x3.5"
Body Size(LXW <sub>1</sub> XH)(MM)	1310x545x460
Own Weight(kg)	11
Toe Plate Width(W <sub>2</sub> )(mm)	227



**HT1937**

Load(kg)	200
Solid Tyre	10"x2.5"
Pneumatic Tyre	2.50-4
Body Size(LXW <sub>1</sub> XH)(MM)	1245x500x455
Own Weight(kg)	15.5
Toe Plate Width(W <sub>2</sub> )(mm)	250



**HT1939**

Load(kg)	200
Solid Tyre	10"x2.5"
Pneumatic Tyre	-
Body Size(LXW <sub>1</sub> XH)(MM)	1290x470x505
Own Weight(kg)	16
Toe Plate Width(W <sub>2</sub> )(mm)	250



**HT2003**

Load(kg)	200
Solid Tyre	10"x2.75"
Pneumatic Tyre	-
Body Size(LXW <sub>1</sub> XH)(MM)	1193x515x445
Own Weight(kg)	16.7
Toe Plate Width(W <sub>2</sub> )(mm)	203



**HT2400**

Load(kg)	270
Solid Tyre	-
Pneumatic Tyre	13"x4"
Body Size(LXW <sub>1</sub> XH)(MM)	1308x630x550
Own Weight(kg)	14.7
Toe Plate Width(W <sub>2</sub> )(mm)	215



**HT2500**

Load(kg)	120
Solid Tyre	-
Pneumatic Tyre	3.00-4
Body Size(LXW <sub>1</sub> XH)(MM)	1170x47X510
Own Weight(kg)	9.4
Toe Plate Width(W <sub>2</sub> )(mm)	230



**HT2500A-1**

Load(kg)	150
Solid Tyre	-
Pneumatic Tyre	3.00-4
Body Size(LXW <sub>1</sub> XH)(MM)	1110x510x460
Own Weight(kg)	10
Toe Plate Width(W <sub>2</sub> )(mm)	190



**HT2500-1**

Load(kg)	80
Solid Tyre	-
Pneumatic Tyre	3.00-4
Body Size(LXW <sub>1</sub> XH)(MM)	1130x520x555
Own Weight(kg)	9.6
Toe Plate Width(W <sub>2</sub> )(mm)	280



**HT2505**

Load(kg)	200
Solid Tyre	13"x3"
Pneumatic Tyre	-
Body Size(LXW <sub>1</sub> XH)(MM)	1150x555x615
Own Weight(kg)	19.5
Toe Plate Width(W <sub>2</sub> )(mm)	330



**SAFETY HASPS,NARROW TYPE**

Art.No.	Size	Finish
HS1-1/2N	1-1/2"	BJ,BP,ZP
HS2N	2"	BJ,BP,ZP
HS2-1/2N	2-1/2"	BJ,BP,ZP
HS3N	3"	BJ,BP,ZP



**WIRE HASPS**

Art.No.	Size	Finish
HS2W	2"	BJ,BP,ZP
HS2-1/2W	2-1/2"	BJ,BP,ZP
HS3W	3"	BJ,BP,ZP
HS4W	4"	BJ,BP,ZP
HS5W	5"	BJ,BP,ZP



**SAFETY HASPS,square shape**

Art.No.	size	Material	Finish
HS4S	4"	steel	BJ
HS6S	6"	steel	BJ
HS8S	8"	steel	BJ



**SAFETY HASPS,round shape**

Art.No.	size	Material	Finish
HS8R	8"	steel	BJ



**PLASTIC CURTAIN RING**

Art.No.	Hole Dia	Lenth	Finish
C-01	7/8"		BP,CP



**CURTAIN HOOKS**

Art.No.	Finish
C-06	BP,CP



**CURTAIN ACCESSORIES**

Art.No.	Finish
C-07	BP,CP



**CURTAIN ROD HOLDER SINGLE**

Art.No.	Hole Dia	Lenth	Finish
CRS070	2-13/16		CP



**MIRROR BRACKET**

Art.No.	Size(mm)	Material	Finish
MB22	22.5X22.5	steel, ss	BP,NP
MB32	32X32	steel, ss	BP,NP



**KEY RING**

Art.No.	Size(mm)	Material	Finish
R20	20	steel	NP
R25	25	steel	NP
R30	30	steel	NP
R35	35	steel	NP



**SASH ROLLER WITH STEEL WHEEL**  
 Art.No. Wheel Dia Size Finish  
 DSR46 11mm 47mm BP, NP



**SASH ROLLER WITH STEEL WHEEL**  
 Art.No. Wheel Dia Size Finish  
 DSR43 10mm 43mm BP, NP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL011S 40mm BJ, ZP  
 PL011N 40mm BJ, ZP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL006N 45mm BJ, ZP  
 PL006S 45mm BJ, ZP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL007N 40mm BJ, ZP  
 PL007S 40mm BJ, ZP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL008N 40mm BJ, ZP  
 PL008S 40mm BJ, ZP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL009N 40mm BJ, ZP  
 PL009S 40mm BJ, ZP



**PULLEY**  
 Art.No. Wheel Dia Finish  
 PL305N 60mm BJ, ZP  
 PL305S 60mm BJ, ZP



**RIGID PULLEY**  
 Art.No. Finish  
 PL302 NP  
 PL302D NP



**SWING PULLEY**  
 Art.No. Finish  
 PL303 NP  
 PL303D NP



**SASH ROLLER WITH STEEL WHEEL**

Art.No.	Wheel Dia	Type	Finish
SR19S	19mm	■	ZP
SR25S	25mm	■	ZP
SR19SS	19mm	■	ZP
SR25SS	25mm	■	ZP

(Nylon wheel is available)



**SASH ROLLER WITH NYLON WHEEL**

Art.No.	Wheel Dia	Type	Finish
SR33N	33mm	■	ZP
SR33NN	33mm	■	ZP



**SASH ROLLER WITH NYLON WHEEL**

Art.No.	Wheel Dia	Type	Finish
SR33SG	33mm	■	ZP
SR33NG	33mm	■	ZP




**CABINET ROLLER WITH NYLON WHEEL**

Art.No.	Finish
SR50	ZP, YZP




**SLIDING DOOR ROLLER**

Art.No.	Wheel Dia	Size	Finish
SR60	1-1/4"	2-7/16"	YZP



**DRAWER SLIDE WITH BEARING**

Art.No.	Size	Finish
DS2C12	12"	ZP,BJ
DS2C14	14"	ZP,BJ
DS2C16	16"	ZP,BJ
DS2C18	18"	ZP,BJ
DS2C20	20"	ZP,BJ




**DRAWER SLIDE WITH BEARING**

Art.No.	Size	Finish
DS2B12	12"	ZP,BJ
DS2B14	14"	ZP,BJ
DS2B16	16"	ZP,BJ
DS2B18	18"	ZP,BJ



**DRAWER SLIDE WITH BEARING**

Art.No.	Size	Finish
DS7A12	12"	ZP,BJ
DS7A14	14"	ZP,BJ
DS7A16	16"	ZP,BJ
DS7A18	18"	ZP,BJ
DS7A20	20"	ZP,BJ
DS7A22	22"	ZP,BJ



**DRAWER SLIDE WITH BEARING**

Art.No.	Size	Finish
DS3A12	12"	ZP,BJ
DS3A14	14"	ZP,BJ
DS3A16	16"	ZP,BJ
DS3A18	18"	ZP,BJ
DS3A20	20"	ZP,BJ
DS3A22	22"	ZP,BJ
DS3A24	24"	ZP,BJ



**DRAWER SLIDE (BOTTOM MOUNTING)**

Art.No.	Size	Finish
DS250	10"	WPC
DS300	12"	WPC
DS350	14"	WPC
DS400	16"	WPC
DS450	18"	WPC
DS500	20"	WPC
DS550	22"	WPC
DS600	24"	WPC
DS650	26"	WPC
DS700	28"	WPC




**TUBING FLANGE,zinc alloy**  
 Art.No. Size(mm) Finish  
 TF001 19 AB,AC,BP,CP  
 TF000 25 AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size(mm) Finish  
 TF002 16 AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size(mm) Finish  
 TF003 16 AB,AC,BP,CP  
 TF004 19 AB,AC,BP,CP  
 TF005 20 AB,AC,BP,CP  
 TF006 25 AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 TF008 5/8" AB,AC,BP,CP  
 TF009 3/4" AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 TF011 1" AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 TF012 1-1/16" AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 TF013 1-1/2" AB,AC,BP,CP



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 TF015 1-3/8" AB,AC,BP,CP



**POLE SOCKET,zinc alloy**  
 Art.No. Size Finish  
 PS01 3/4" AB,AC,BP,CP  
 PS02 1-1/8" AB,AC,BP,CP



**POLE SOCKET**  
 Art.No. Size(mm) Material  
 PPS3530 35 plastic



**TUBING FLANGE,zinc alloy**  
 Art.No. Size Finish  
 RBS351 3/4" BP,CP  
 RBS352 1" BP,CP



**SHOWER ROD HOLDER,zinc alloy**  
 Art.No. Size Finish  
 RH250 25mm CP,BP



**SHELF POLE SOCKET, steel**  
 Art.No. Size Finish  
 SS350 1-3/8" BP,CP



**WOOD POLE SOCKET**  
 Art.No. Size Material  
 WPS350 35mm wood



**END POST,zinc alloy**  
 Art.No. Size Finish  
 RB19S 3/4" NP  
 RB25S 1" NP



**END POST,zinc alloy**  
 Art.No. Size Finish  
 RB19B 3/4" NP  
 RB25B 1" NP



**TOWEL RAIL SUPPORT,zinc alloy**  
 Art.No. Size Finish  
 RB120 1/2" CP  
 RB150 5/8" CP  
 RB190 3/4" CP  
 RB250 1" CP



**ROUND RAIL SUPPORT,zinc alloy**  
 Art.No. Size Finish  
 RB1200 1/2" CP  
 RB1500 5/8" CP  
 RB1900 3/4" CP  
 RB2500 1" CP



**TOWEL RAIL SUPPORT,zinc alloy**  
 Art.No. Size Finish  
 RB3011 3/4" BP,CP,WPC  
 RB3012 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
 Art.No. Size Finish  
 RB3021 3/4" BP,CP,WPC  
 RB3022 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB3111 3/4" BP,CP,WPC  
RB3112 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB3121 3/4" BP,CP,WPC  
RB3122 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB3211 3/4" BP,CP,WPC  
RB3212 1" BP,CP,WPC



**ROUND RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB3221 3/4" BP,CP,WPC  
RB3222 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB5012 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB5022 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB6011 1/2" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB6021 1" BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB6031 16x31mm BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**  
Art.No. Size Finish  
RB6041 1" BP,CP,WPC




**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRA6312	12mm	63mm	NP
SHRA8216	16mm	82mm	NP
SHRA8619	19mm	86mm	NP



**SNAP HOOK**

Art.No.	Overall Length	Finish
SHRB8912	89mm	NP
SHRB10012	100mm	NP
SHRB11612	116mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRC8216	16mm	82mm	NP
SHRC8619	19mm	86mm	NP
SHRC8925	25mm	89mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRD5310	10mm	53mm	NP
SHRD6712	12mm	67mm	NP
SHRD7612	12mm	76mm	NP
SHRD8216	16mm	82mm	NP
SHRD9119	19mm	91mm	NP
SHRD9425	25mm	94mm	NP
SHRD10728	28mm	107mm	NP
SHRD11332	32mm	113mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRE8516	16mm	85mm	NP
SHRE8519	19mm	86mm	NP
SHRE9025	25mm	90mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRF6312	12mm	63mm	NP
SHRF6816	16mm	68mm	NP
SHRF7119	19mm	71mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRG8616	16mm	86mm	NP
SHRG8819	19mm	88mm	NP
SHRG9025	25mm	90mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHRM5013	13mm	50mm	NP
SHRM6016	16mm	60mm	NP
SHRM6520	20mm	65mm	NP
SHRM7022	22mm	70mm	NP
SHRM7825	25mm	78mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHSC7819	19mm	78mm	NP
SHSC7825	25mm	78mm	NP



**SNAP HOOK**

Art.No.	Eye Opening	Overall Length	Finish
SHSG8019	19mm	80mm	NP
SHSG8025	25mm	80mm	NP



**DOOR CLOSER  
(W/ and W/O DOOR STOPPING DEVICE BOTH AVAILABLE)**

Art.No.	Size(mm)	Door Weight(kg)	Finish
DC6001	148x37x57	15-25	AL,WH,BL,GJ
DC6002	148x37x57	25-45	AL,WH,BL,GJ
DC6003	186x44x67	45-65	AL,WH,BL,GJ
DC6004	223x44x72	65-85	AL,WH,BL,GJ



**DOOR CLOSER  
(W/ and W/O DOOR STOPPING DEVICE BOTH AVAILABLE)**

Art.No.	Size(mm)	Door Weight(kg)	Finish
DC8004	227x61x45	15-85	AL,WH,BL,GJ
DC8006	287x61x45	25-120	AL,WH,BL,GJ



**DOOR CLOSER  
(W/O DOOR STOPPING DEVICE)**

Art.No.	Size (mm)	Door Weight(kg)	Finish
DC3022	220x52x45	25-45	AL,WH,BL,GJ
DC3023	220x52x45	40-65	AL,WH,BL,GJ




**TOWERL RAIL SUPPORT,zinc alloy**

Art.No.	Size (mm)	Finish
RB6051	28	BP,CP,WPC
RB6052	32	BP,CP,WPC



**TOWEL RAIL SUPPORT,zinc alloy**

Art.No.	Size(mm)	Finish
RB6061	21	BP,CP,AB,AC



**OVAL RAIL SUPPORT**

Art.No.	Size(mm)	Material
RB040	64x19	aluminum
RB041	48x19	zinc alloy
RB042	46x20	zinc alloy



**ROUND RAIL SUPPORT,zinc alloy**

Art.No.	Size	Finish
RBS331	3/4"	BP,CP,WPC
RBS332	1"	BP,CP,WPC



**ALUMINUM SNAP HOOK**

Art.No.	Size
ASH550	M5x50
ASH660	M6x60
ASH770	M7x70
ASH880	M8x80



**DEE RING,zinc alloy**

Art.No.	Size	Finish
DR430	M4x30	ZP
DR440	M4x40	ZP
DR530	M5x30	ZP
DR540	M5x40	ZP
DR550	M5x50	ZP
DR630	M6x30	ZP
DR640	M6x40	ZP
DR650	M6x50	ZP
DR660	M6x60	ZP

(Available stainless steel)



**QUICK LINK,zinc alloy**

Art.No.	Size	Finish
L3536	M3.5x36	ZP
L440	M4x40	ZP
L548	M5x48	ZP
L657	M6x57	ZP
L766	M7x66	ZP
L876	M8x76	ZP
L983	M9x83	ZP
L1089	M10x89	ZP
L12107	M12x107	ZP
L14121	M14x121	ZP
L16140	M16x140	ZP

(Available stainless steel)



**S-HOOK,zinc alloy**

Art.No.	Size	Finish
S2520	M2.5x20	ZP
S3025	M3x25	ZP
S3530	M3.5x30	ZP
S4035	M4x35	ZP
S4540	M4.5x40	ZP
S5045	M5x45	ZP
S6055	M6x55	ZP
S7065	M7x65	ZP
S8075	M8x75	ZP

(Available stainless steel)



**SNAP LINK,zinc alloy**

Art.No.	Size	Finish
SH440	M4x40	ZP
SH550	M5x50	ZP
SH660	M6x60	ZP
SH770	M7x70	ZP
SH880	M8x80	ZP
SH990	M9x90	ZP
SH10100	M10x100	ZP
SH11120	M11x120	ZP
SH12140	M12x140	ZP
SH13160	M13x160	ZP
SH14180	M14x180	ZP
SH15200	M15x200	ZP

(Available stainless steel)





**DOOR CLOSER  
(square shape)**

Art.No.	Size (mm)	Door Weight(kg)
DC-180	138x38x58	15-30
DC-181	194x42x68	25-45
DC-182	206x46x73	40-65
DC-183	223x45x73	60-85
DC-184	245x45x73	80-100
DC-185	245x45x73	100-120

**DOOR CLOSER  
(round shape)**

Art.No.	Size (mm)	Door Weight(kg)
DC-160	136x36x56	15-30
DC-161	177x42x66	25-45
DC-162	205x46x76	40-65
DC-163	225x52x74	60-85
DC-164	251x54x74	80-100
DC-165	251x54x74	100-120




**DOOR CLOSER**

Art.No.	Size (mm)	Door Weight(kg)
DC-7000	167x38x58	15-30
DC-7001	177x41x65	25-45
DC-7002	206x45x72	40-65
DC-7003	223x45x72	60-85
DC-7004	245x45x72	80-100
DC-7005	245x45x72	100-120

**Function**

- \*Available for 9 different power sizes can-used on interior or exterior doors
- \*Adjustable closing & latching speed
- \*"1"=Closing speed adjusting valve,rang from 180° to 15°
- \*"2"=Latching speed adjusting valve,rang from 15° to 0°
- \*Built-in hold open or hold open arm (optional)
- \*Built-in hold open can hold open at your desired angles between 850 and 1800.Available for size 1,2,3
- \*Hold open arm can hold door open at any angles your desire



Closing speed adjustable valve

Latching speed adjustable valve



**HINGE TYPE DOOR CLOSER**

Art.No.	Type of door	Door Weight(kg)	Quantity of closer
HDC1005	Light	≤25	1 sets(add a load-bearing hinge)
HDC1006	Normal	≤45	2 sets
HDC1007	Heavy	≤65	2 sets(add a load-bearing hinge)
HDC1008	Super-heavy-duty	≤85	3 sets



### 退火黑铁丝 Black Annealed Wire

DIA	BWG8-BWG22
T/S	300-400N/mm <sup>2</sup>
COIL	5-100KGS



### 冷拔丝/制钉丝 Nail drawn wire

DIA	BWG8-BWG18
T/S	500-950N/mm <sup>2</sup>
COIL	100-800KGS



### 电镀锌丝 Electric galvanized wire

DIA	BWG6-BWG25
ZINC COATING	6-15G/m <sup>2</sup>
COIL	300-500N/mm <sup>2</sup>
COIL	0.5-100KGS



### 热镀锌丝 Hot dipped galvanized

DIA	BWG6-BWG25
ZINC COATING	60-230G/m <sup>2</sup>
COIL	400-750N/mm <sup>2</sup>
COIL	50-800KGS



### 小盘丝 Coil wire


DIA	0.8mm-1.5mm
T/S	350-400N/mm <sup>2</sup>
COIL	1.42-2.0KGS





THICKNESS	0.18mm-2.0mm
WIDTH	1m/1.25m/1.5m
ZINC COATING	Z80 Z100 Z120 Z250

## 热镀锌卷/板 Hot dipped galvanized coils / sheets



镀锌板 Hot dipped galvanized sheet




彩涂板 Color sheet



镀锌卷 Galvanized roll



镀锌板 Galvanized sheet



瓦楞板 Roofing sheet



**六角网** Hexagonal wire netting

**电焊网** Welded wire mesh

**菱形网** Chain link fencing

**涂塑网** PVC-Coated wire mesh

**编织网** Woven wire mesh



**玻璃纤维窗纱** Window screen

MESH	14X14	16X16	18X18	22X22
DIA	BWG31 BWG32			
MATERIAL	Plastic/Stainless Steel Wire			
COLOR	Black,White,Grey			





**刺丝** Barbed wire


DIA:16mm,2.0mm

Finish:Electro galvanized,Hot dipped glvanized


Coil:5KGS-500KGS

**刀片刺网** Razor mesh

Finish:Hot dipped glay steel stainless




刀片规格 Spec	刀片形式 Type	刀片厚 Thickness	心线直径 DIA	刀长 Length	刀宽 Width	刀间距 Distance
BOT-10		0.5±0.05	2.5±0.1	10±1	13±1	25±1
BOT-12		0.5±0.05	2.5±0.1	12±1	15±1	25±1
BOT-18		0.5±0.05	2.5±0.1	18±1	15±1	35±1
BOT-22		0.5±0.05	2.5±0.1	22±1	15±1	36±1
BOT-28		0.5±0.05	2.5	28	15	46±1
BOT-30		0.5±0.05	2.5	30	18	46±1
BOT-65		0.5±0.05	2.5±0.1	65±1	21±1	101±1




120x60x6 Q235B



80x80x4 Q235B



200x100x10 Q345B



100x100x10 20#



80x40x3.75 Q235




100x100x5 Q235




**无缝方管** Seamless square pipe  
300x300x20 Q345D



**无缝矩管** Seamless rectangular pipe  
500x200x20 Q345D



**直缝矩管** Straight seam rectangular pipe  
200x100x60 Q235B





**直缝矩管** Straight seam rectangular pipe  
120x100x6 Q235D




**无缝矩管** Seamless rectangular pipe  
140x140x6 Q345E



**直缝矩管** Straight seam rectangular pipe  
130x90x5.5 Q235C







焊管 Welded pipe



钢坯 Billet




方管 Square Tube



镀锌管 Galvanized pipe




带钢 Strip



角钢 Angle



H型钢 H-shaped steel



冷弯型钢 Cold-Formed Steel



螺旋焊管 Ssaw



**Dayaram**

General Trading L.L.C

*Importers & Exporters*



**M&M**  
TRADING FZE  
*Importers / Exporters & Indenters*

+971 4 2258101

sales@dayaram.ae

www.dayaram.ae

506, AL Owais Business Towers, Deira-Dubai UAE